ADDENDUM #1

PROJECT NO. 274-PRCR-2025-PARKSPAVINGA1

Notice to All Bidders:

Bidders on the above-named Project are hereby notified that this Addendum shall be attached to and made part of the above-named Project Manual dated May15, 2025.

The following items add to, modify, and clarify the Bidding and Contract Documents and shall have the full force and effect of the original Documents. Bids shall conform to those items and the cost change, if any, of these items shall be included in this Bid Price.

Revisions / Clarifications

The Technical Specifications have been revised as described below.

1. Figures 1 through 5 identified in the Project Manual dated May 15, 2025, were not included in the original advertisement due to file size restrictions. These figures are provided through this Addendum Number 1.

END OF ADDENDUM #1

Contact Information

Ellis Cayton
City of Raleigh
Parks, Recreation and Cultural Resources Department
222.W. Hargett St. Suite 608, Raleigh, NC 27601
(m) 984-298-6130
www.Raleighnc.gov

Figure 1 - Lake Johnson Park Parking Lot Pavement Rehabilitation – Mill and Overlay



Site Address: Lake Johnson Park, 4601 Avent Ferry Rd, Raleigh, NC 27606

Estimated Quantities

- 2" RS9.5B = 400.00 Tons
- Milling 0-2" = 3,186.00 SY
- Patching = 75.00 Tons
- 4" Thermoplastic = 1,130.00 LF
- Thermoplastic Symbols 35.0 EA

Figure 2 - Lions Park Parking Lot Pavement Rehabilitation – Mill and Overlay



Site Address: Lions Park, 516 Dennis Ave, Raleigh, NC 27604

Estimated Quantities

- RS9.5B (2.0") = 1,035.00 Tons
- Milling 0-4" = 8,850.00 SY
- Patching (4.0") = 175.00 Tons
- Speed Humps 2.0 EA
- 4" Thermoplastic = 7,760.00 LF
- Thermoplastic Symbols 11.0 EA

Figure 3 – Glen Eden Tennis Park Parking Lot Pavement Rehabilitation – Mill and Overlay



Site Address: Glen Eden Tennis Park, 3808 Blue Ridge Rd, Raleigh, NC 27612

Estimated Quantities for mill and overlay of parking lot as is:

- 2" RS9.5B = 154.74 Tons
- Milling 0-2" = 1,357.41 SY
- Patching = 20.00 Tons

Estimated Quantities for adding handicap parking space, curb and gutter, and sidewalk. Estimate contemplates asphalt pavement used for wedging and surface.

- RS9.5B = -61 Tons
- Curb and Gutter = 99 LF
- 5-foot Wide Sidewalk = 13 SY

Figure 4 – Carolina Pines Park Parking Lot Pavement Rehabilitation – Mill and Overlay



Site Address: Carolina Pines Park, 2305 Lake Wheeler Rd, Raleigh, NC 27603

Estimated Quantities

- 2" RS9.5B = -385.10 Tons
- Milling 0-2" = 3377.80 SY
- Patching = 40.00 Tons
- Speed Humps 2.00 EA

