

**Request for Proposals (RFP)**  
**Type III Ambulance**  
**Beaufort County Emergency Medical Services, Beaufort County NC**



**RFP Issue Date:** Thursday, May 8<sup>th</sup> 2025

**Proposals Due:** Wednesday, May 21<sup>st</sup> 2025 at 3:00 pm

**Questions Regarding Proposal Package**

Hollie Jones  
Purchasing Officer  
Ph: 252-946-7721  
Email [hollie.jones@beaufortcountync.gov](mailto:hollie.jones@beaufortcountync.gov)

**Technical Questions Regarding RFP**

Chris Newkirk  
Emergency Services Director  
Ph: 252-940-6511  
Email: [chris.newkirk@beaufortcountync.gov](mailto:chris.newkirk@beaufortcountync.gov)

## Purpose

The purpose of this Request for Proposal (RFP) is to solicit sealed proposals from qualified vendors for the manufacture and delivery of one (1) new Type III ambulance for Beaufort County Emergency Medical Services. This vehicle will serve as a frontline unit, supporting the County's mission to provide timely, professional, and effective prehospital emergency care to the residents and visitors of Beaufort County. The requested ambulance must meet or exceed all applicable federal, state, and local regulations, as well as current industry standards (e.g., NFPA 1917, KKK-A-1822F, and CAAS-GVS). The selected vendor shall ensure the ambulance is engineered for durability, ease of maintenance, patient and provider safety, and operational readiness in both urban and rural environments across the County's jurisdiction.

## Notice to Bidders

Sealed proposals will be received by the Beaufort County Financial Services Center until **3:00 pm, Wednesday May 21<sup>st</sup> 2025** at which time the proposals will be publicly opened and read aloud. Any proposals received later than the specified time will not be accepted or considered. The proposal must be signed by an official authorized to bind the Contractor/Proposer and should be clearly marked **"Bid Enclosed, Type III Ambulance – ATTN: Hollie Jones"** on the outside of the proposal package or mail carrier envelope.

Beaufort County assumes no responsibility for unmarked or incorrectly marked proposals.

A bid tabulation will be available upon request but will not be official until the contract is awarded to the successful proposer by the Board of Commissioners.

**Upon award date on Monday, June 2<sup>nd</sup> 2025 at 5:30 pm, a delivery date of completed project shall be between 90-180 days from award date.**

**If the bid specifications cannot be met as listed, a comparable product must be offered.**

Beaufort County reserves the right to reject any or all proposals, waive any informality and award contracts that appear to be in its best interest. The right is reserved to hold any or all proposals for a period of ninety (90) days from the proposal opening thereof.

From the date of this advertisement until the date of opening the proposals, the RFP is and will continue to be on file in the Beaufort County Purchasing Department, 132 West 2nd Street, Washington, NC 27889, during regular business hours, and available to prospective proposers. You can also find it on the website <http://co.beaufort.nc.us/> under "Request for Proposals". Inquiries should be directed to Hollie Jones at [hollie.jones@beaufortcountync.gov](mailto:hollie.jones@beaufortcountync.gov) or (252) 946-7721, x 1080.

***\*\*Minority/Women owned businesses are encouraged to submit proposals.***

# Type III Ambulance Body Specifications

## MODULAR BODY

1	<b>Modular Body - Type III 14'</b>
	The ambulance body 169"L x 96"W x 72"H shall be constructed of custom-designed aluminum extrusions and .125 skins. The ambulance body shall be designed and engineered specifically as an emergency vehicle and shall be built to meet the requirements of emergency service completion within 90-180 days of the bid.
	Does Your Bid Comply: YES _____ or NO _____

## CHASSIS

1	Each	<b>Chassis - Ford 2024 or newer E450 - 4x2 - Gas - 100CA</b>
		Does Your Bid Comply: YES _____ or NO _____

## CHASSIS ADD ON

1	Set	<b>Wheel Inserts - Phoenix - Ford E350/E450 (Standard)</b>	Does Your Bid Comply: YES _____ or NO _____
2	Each	<b>Lights - Grille - ION Red w Clear Lens LED (Standard)</b> Whelen ION series Red LED warning light with clear lens and chrome flange installed on the front grill of the chassis.	Does Your Bid Comply: YES _____ or NO _____
2	Each	<b>Lights - Front Intersection - ION Red w Clear Lens LED (Standard)</b> Whelen ION series Red LED warning light with clear lens and chrome flange installed on the fenders of the chassis.	Does Your Bid Comply: YES _____ or NO _____
1	Set	<b>Speaker - Cast - Ford E350/E450 (Standard)</b> Two (2) 100-watt speakers shall be installed through the front OEM bumper.	Does Your Bid Comply: YES _____ or NO _____
1	Each	<b>Back Up Camera - Exterior - 7" Monitor Installed On Windshield (Standard)</b> An exterior Back Up Camera With 7" Monitor shall be mounted on the windshield.	Does Your Bid Comply: YES _____ or NO _____

**Fire Extinguisher - 5Lb w/ Bracket (Standard)**

2      Each

5lb Fire Extinguisher shall be shipped loose.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

1      Set      **Mud Flaps**

Set of heavy-duty, thick rubber material mud flaps shall be as wide as the dual rear wheels.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

1      Each      **Spare Tire**

A spare tire shall be provided with the chassis.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

1      Each      **Alarm – Backup**

An audible alarm shall be installed to activate when the vehicle is placed into reverse gear.  
There shall be installed on the front console and wired through the vehicle electrical system

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

1      System      **Anti Theft - Ford E350/E450**

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

1      Each      **Additional Battery**

Additional battery shall be provided under the ALS in a separate sealed compartment.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

1      Set      **Engine Block Heater - Wire - Shoreline**

The chassis engine block heater shall be wired to shoreline power.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

CHASSIS CONSOLE

- 1

Each

Console - Wood - Black

A wood scorpion coated console with (2) cup holders and map slot shall be provided between the driver and passenger seat.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

Siren - (Standard)

A Whelen 295SLSA1 single tone siren shall be installed in the cab console.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

Spotlight - Hand Held - Hardwired to Console

12V handheld spotlight shall be hardwired to the console in the cab of the module.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

Amp/Volt Meter - Digital

A digital voltmeter/Ammeter with liquid crystal display shall be installed on the cab console.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

L1 COMPARTMENT

- 1

Each

L1 Compartment - Single Door with L1.5 Compartment

Street Side Forward L1 Compartment  
Dimensions: 65"H (65" inside) x 22"W x 22"D

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

L1.5 Compartment - Single Door

Street Side Forward L1.5 Compartment Dimensions: 16"H (16" inside) x 22"W x 22"D

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

O2 Bracket Kit - Universal Cylinder w Ratchet Straps (Standard)

There shall be a Universal Zico Cylinder Bracket QRM-V O2 bottle mount to the back wall to allow the department to utilize both "M" cylinder and "H" cylinder bottles. LOCATION=BACK WALL

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

O2 Wrench

An aluminum O2 wrench provided near the O2 bracket in the Oxygen compartment.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

Oxygen Regulator - 50 PSI

50 PSI Pre-Set diaphragm regulator with nut and nipple connection for large cylinders and preset to 50 PSI.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

1      Each      **Vertical Divider - L1 Compartment**

A full height aluminum divider shall be provided in the center of the L1 compartment left of the O2 bracket  
(Not Compatible w/ Electric O2 Lift)

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**L2 COMPARTMENT**

1      Each      **Inverter - Vanner 1100 (Standard)**

A Vanner 1100 watt Inverter with 50 amp battery charger shall be provided.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

1      Each      **Inverter - Pre Wire**

A pre-wire for installation of the inverter shall be provided in the L2 compartment.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

1      Each      **L2 Compartment - Double Door**

Street Side Intermediate L2 Compartment  
Dimensions: 40"H (40" inside) x 45"W x 20"D

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

1      Each      **Adjustable Shelf - L2 Compartment**

A horizontal aluminum adjustable shelf/shelves shall be provided in the L2 compartment mounted on shelf track.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**L3 COMPARTMENT**

1      Each      **L3 Compartment - Double Door (Standard)**

Street Side Rear L3 Compartment Dimensions: H40"x W42"x D20"

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

1      Each      **Adjustable Shelf - L3 Compartment**

A horizontal aluminum adjustable shelf/shelves shall be provided in the L3 compartment mounted on shelf track.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

R3 COMPARTMENT

1      Each      R3 Compartment - Single Door (Standard)

Curb Side Rear R3 Compartment  
Dimensions: 72"H (76" inside) x 20"W x 20"D  
Includes (2) Backboard Straps  
##Not Configurable with R2 Compartment

Does Your Bid Comply: YES\_\_\_\_\_or NO\_\_\_\_\_

2      Each      Adjustable Shelf - R3 Compartment

A horizontal aluminum adjustable shelf/shelves shall be provided in the R3 compartment, mounted on the shelf track.

Does Your Bid Comply: YES\_\_\_\_\_or NO\_\_\_\_\_

1      Each      Backboard Divider - R3 Compartment

A vertical divider shall be mounted center of the backboard compartment.

Does Your Bid Comply: YES\_\_\_\_\_or NO\_\_\_\_\_

R1 COMPARTMENT

1      Each      R1 Compartment with Battery Drawer - Single Door

Curb Side Forward Compartment  
Dimensions: H57"x W22"x D ALS"

Does Your Bid Comply: YES\_\_\_\_\_or NO\_\_\_\_\_

1      Each      R1 Battery Box Compartment

Battery Box Compartment Dimensions: H13"x W22"x D20"

Does Your Bid Comply: YES\_\_\_\_\_or NO\_\_\_\_\_

COMPARTMENT DOORS

1      Each      Door Panels - Compartment - Entire Panel - Diamond Plate

Does Your Bid Comply: YES\_\_\_\_\_or NO\_\_\_\_\_

ENTRY DOORS

1      System      Door Panels - Entry Door - Upholstery/Chevron (Standard)

Does Your Bid Comply: YES\_\_\_\_\_or NO\_\_\_\_\_

## EMERGENCY LIGHT PACKAGE

- 1 System Lights - 900 Series - Red & White LED Warning w Clear Lens & Chrome Flanges (7 Front Wall R/W/R/W/R/W/R)**
- Whelen 900 LED warning lights shall be installed on the module in the specified configuration. (7) front wall lights, (4) side body lights, (3) rear upper, and (2) lower window level lights.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 2 Each Lights - Rear Intersection - 700 Red LED w Clear Lens - Warning Light**
- Whelen 700 LED warning lights shall be installed above both rear wheels on the module
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 6 Each Lights - OS - Red - (Specify Location in Notes)**
- (2) per entry door.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

## NON-EMERGENCY LIGHTS - EXTERIOR

- 1 Set Lights - Compartment - Single - LED Strip Lights (Standard)**
- Each exterior compartment shall have one (1) strip LED light installed full height on one side of the door opening.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 6 Each Lights - Scene - 900 Series LED**
- Whelen 900 Series LED Scene Lights shall be installed (2) two on rear, (2) per side of the ambulance modular body.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 2 Each Lights - Stop/Turn/Tail - 600 Series LED w Colored Lens**
- Whelen 600 Series LED Brake, Back Up and Turn signals with individual bezels installed on the rear of the module.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1 Each Light - Stepwell - LED**
- LED Stepwell light installed at the entry steps of the module.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1 Each Lights - Tag Bracket - LED**
- LED lighting installed at the tag bracket to meet DOT requirements.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 2 Set Lights - Docking - 6" Oval White**
- 6" LED lights installed at the rear bumper to provide additional back up lighting.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

- 1

Set

Lights - ICC Marker - Red & Amber LED

7 LED Red and & 7 LED Yellow ICC lights installed on the upper module perimeter to meet DOT requirements.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

MODULAR EXTERIOR

- 1

Each

Shoreline - 20A/120V - Auto Eject - Yellow Cover (Standard)

A 20 amp automatic power line disconnect system shall be furnished for the vehicle shoreline.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 2

Set

Fenderette - Rubber

Rubber fender flair shall be installed around the rear wheel well openings.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

System

Rub Rails - Reflective (Standard)
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

Window - Side - Sliding - Dark Tint (Standard)

Tinted high black aluminum framed sliding window is to be centered on the side entry door.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 2

Each

Window - Rear - Fixed - Dark Tint (Standard)

Tinted high black aluminum framed fixed window is to be centered on each rear entry door.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

System

Door Locks - Power - All Compartments & Entry Doors w Hidden Stealth Switch

Install Power Door locks on all Compartments and Patient Entry Side and Rear Doors. Lock/unlock can be initiated by key fob, remote switch or by Cab & Driver's Side electric locks.
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

MODULAR EXTERIOR -  
COMPARTMENT DETAIL

- 1

System

Compartments - Diamond Plate
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Set

Drip Rails - Aluminum
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

System

Door Hold Back - Gas Shock - 60lb

Gas shocks shall be installed on the curb side entry door and all compartment doors of the module
- Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

PAINT

- 1

Each

**Paint Type - Modular Body - 1 Color**

The module shall be a single tone paint to match the OEM chassis or customer specified paint code.

Does Your Bid Comply: YES\_\_\_\_\_or NO\_\_\_\_\_

- 1

Each

**Paint Type - Chassis OEM (Standard)**  
Chassis shall be painted OEM one color to match fleet.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

MODULAR INTERIOR

- 1

Each

**Panel - Power - Location - Interior (Standard)**  
A printed circuit board shall be installed in the interior electrical cabinet behind attendant seat.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

- 1

Each

**Flooring - Gun Metal Gray - Lonplate 3" (Standard)**  
Lonplate heavy duty floor covering installed above the PVC sub floor, rolled up on each side 3".

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

- 1

Each

**Flooring - Composite PVC Sub Flooring**  
PVC composite sub flooring shall be installed above the aluminum sub floor.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

- 1

System

**Insulation - Polyfiber (Standard)**  
The modular ambulance body shall be insulated with a non-flammable Polyfiber insulation.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

- 6

Each

**Emergency Release Latch**  
Curb and Rear entry doors shall come with upper and lower emergency release latches, in the event of failure to exit the module.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

MODULAR INTERIOR -  
CABINET DETAIL

- 1

Set

**Cabinets - Plywood - 1 Tone - Matte Gray (Standard)**  
Cabinets shall be constructed of 3/4" plywood with a high-pressure plastic matte Gray laminate finish.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

- 1

Each

**Cabinets - ALS Bulkhead - Locking (Standard)**  
Dimensions: 11 1/2"H x 23"W

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

- 1

Each

**Latch - Flush Pull Locking - Stainless Steel**

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

- 1

Each

**Cabinets - ALS Upper - Inside/Outside Access - Non Locking (Standard)**  
Dimensions: 25 1/8"H x 28 1/2"W

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

**Cabinets - ALS Lower - Inside/Outside Access - Non Locking (Standard)**  
Dimensions: 25 1/8"H x 28 1/2"W

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Set

**Windows - Life Defender - Fixed (Standard)**  
Austin Hardware Gen II Life Defender cabinets, with clear plexi and fixed sliding windows.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

**Seat - CPR**

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

**Countertops - Gray - Solid Surface Trim**  
Solid Surface material counter tops and trim at the action and telemetry areas. Gray in color.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

**Cabinet - Plywood - Over Rear Door**  
Cabinet located over the rear entry door, providing one storage section.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

**Cabinet - Plywood - Squad Bench Overhead**  
Cabinet located over the squad bench, divided into two separate storage sections.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1

Each

**Cabinet - Plywood - Glove Box**  
Cabinet located over the side entry door, providing storage for three glove boxes.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

MODULAR INTERIOR -  
ELECTRICAL

- 2

Set

**Antenna - Coax**  
Two [2] 10-gauge power and two [2] ground wires, two [2] RG58U coax cables, and two [2] PL259 connectors.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 2

Each

**Outlet - 12V**  
12 Volt DC 20 Amp cigar style outlets will be located in the action area and in the advanced life support cabinet.  
##Exact location & quantity can be changed at pre-construction meeting

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

- 3 Each Outlet - 110V - Lighted**  
110 Volt AC GFI duplex lighted outlets will be located in the action area, the telemetry, as well as the advanced life support cabinet.  
##Exact location & quantity can be changed at pre-construction meeting  
Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1 Each Outlet - Oxygen - Single**  
A single O2 outlet provided at the head end of the squad wall.  
##Exact location & quantity can be changed at pre-construction meeting  
Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1 Set Outlet - Oxygen - Dual**  
Dual O2 outlets shall be provided in the action area.  
##Exact location & quantity can be changed at pre-construction meeting  
Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1 Each Outlet - Vacuum**  
Ohio style quick disconnect vacuum outlet provided in the action area wall.  
Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1 Each Electrical System - RCTronics 12V**  
12v RC Tronics switch panel electrical system shall be provided in the cab console and in the action area of the module.  
Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 2 Each Pre Wire - 12V Radio**  
12v radio pre-wires at the front console and rear action area.  
##Exact location and quantity can be changed at the pre-construction meeting  
Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1 Each Vacuum Pump**  
Electric vacuum pump installed in the exterior compartment, plumbed to the vacuum outlet on the rear action area wall.  
##Exterior Compartment location will be either L2 or L1.5 depending on the customer's choice.  
Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1 Each Timer - 15 Minute Delay - Momentary Rocker Switch (If you chose VMUX)**  
Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_
- 1 Each Clock - Digital - Intellitec (Standard)**  
A digital EMS clock shall be provided at the Action Area wall.  
Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

## MODULAR INTERIOR - SAFETY & RESTRAINTS

**3 Each Seat Belt - 6 Point Harness**

All seated positions shall have a 6 point safety harness seat belt system.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**2 Each Grab Rail - Ceiling - 80" Yellow (Standard)**

1.25" diameter x 80" yellow grab bars shall be provided and securely fastened to the ceiling over the primary cot and over the squad bench.

##Exact location & quantity can be changed at pre-construction meeting

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**3 Each Grab Handle - 18" Yellow (Standard)**

1.25" diameter x 18" yellow grab bars shall be provided at each entry door.

##Exact location & quantity can be changed at pre-construction meeting

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**3 Each Grab Handle - Interior V Style - Yellow (Standard)**

V-Style yellow grab handles shall be provided on the side and rear entry doors.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**1 Each Safety Restraint - Black Angled Net**

A black safety net shall be provided and installed at the head end of the squad bench.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

## MODULAR INTERIOR DETAILS

**1 Each Suction - Rico - Action Area (Standard)**

A RICO RS4X disposable aspirator will be installed in the action area and connected to the vacuum inlet by a quick connect coupler.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**2 Set IV Hanger - Ceiling Mount (Standard)**

IV Hangers will be recessed in the ceiling over the head and foot end of the primary cot.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**1 System Upholstery - Vinyl - Gunmetal Gray (Standard)**

Seamless vacuum formed vinyl material, gun metal gray, provided on the attendant seat, squad bench cushions and CPR cushions.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**1     System     Cot Fastener - Stryker power load**

A cot fastener with Power Source shall be center mounted on the floor of the module.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**1     System     Stryker power pro 2 and Stryker Stair Chair 6252**

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**1     Set     Seat - Attendant Child 3 Point Safety - Gunmetal Gray w Swivel Base - Wise (Standard)**

Attendant seat with child safety seat, 3 point harness and swivel base shall be located at the head end of the primary cot.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

### NON-EMERGENCY LIGHTS - INTERIOR

**2     Each     Lights - Action Area/Telemetry - LED**

3" round Whelen 3SC0CDCR LED lights shall be located in the action area and telemetry area.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**10     Each     Lights - Dome - Whelen LED (Standard)**

Whelen 8" LED Dome patient compartment lights with dual level lighting will be located in the ceiling.  
##Exact location & quantity can be changed at pre-construction meeting

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**1     Each     Lights - Strip - Headliner - White**

White LED strip lights shall be installed left and right of the HVAC ducted air system.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

### HVAC SYSTEM

**1     System     AC - 12 Volt - Ducted - Dual Inline Top Mount Condenser - Brushless - (1) Digital Thermostat**

Hoseline brushless 12VDC HVAC system located on the front bulkhead and shall be ducted down the ceiling of the patient compartment.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**1     Each     Exhaust Fan**

The patient compartment shall be ventilated with fresh outside air via one (1) static intake vent and one (1) power exhaust vent.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

**2     Each     Cowl Vent**

An aluminum cowl vent shall be provided on the exterior to cover the intake vent.

Does Your Bid Comply: YES \_\_\_\_\_ or NO \_\_\_\_\_

## Scoring Criteria

<b>Evaluation Criteria</b>	<b>Maximum Points</b>
1. Compliance with Specifications	30 points
- Meets or exceeds design, safety, and performance specifications outlined in the RFP.	
2. Price	25 points
- Total cost including base unit, required options, delivery, and warranties.	
3. Warranty and Service Support	15 points
- Coverage terms, parts and labor, local service support, and response time.	
4. Delivery Timeline	10 points
- Proposed timeframe for manufacturing and delivery of the unit.	
5. Vendor Experience and References	10 points
- Experience building Type III ambulances, history with EMS agencies, and client feedback.	
6. Aftermarket Support and Training	5 points
- Availability of user training, manuals, and post-delivery support.	
7. Innovative Features / Value-Added Options	5 points
- Any additional features or enhancements that offer operational benefit or long-term value.	

Proposals will be evaluated based on the following weighted criteria. Each proposal will be reviewed by a selection committee, and points will be awarded according to how well each vendor meets or exceeds the requirements set forth in this RFP.

Total Possible Points: 100

## Ambulance(s) and Equipment

**Date:** \_\_\_\_\_

By submitting this proposal, Vendor certifies the following:

An authorized representative of the firm has signed this proposal.

It can obtain insurance certificates as required within 10 calendar days after notice of award.

The Vendor has determined the cost and availability of all equipment, materials, and supplies associated with performing the services outlined herein.

All labor costs, direct and indirect, have been determined and included in the proposed cost. The Vendor is aware of the prevailing conditions associated with performing this contract.

Therefore, in compliance with the foregoing Request for Proposal, and subject to all terms and conditions thereof, the undersigned offers and agrees, if this proposal is accepted within (30) days from the date of the opening, to furnish the services for the prices quoted.

Vendor: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

City, State, Zip Code: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

Principal Place of Business  
if different from above: \_\_\_\_\_

By: \_\_\_\_\_ Title: \_\_\_\_\_  
(Type or Print Name)

Signature: \_\_\_\_\_

**BID SHEET**

**Bid Information:**

Bid Reference Number : EMS FY25-012

Bid Opening Date/Due Date: Wednesday, May 21<sup>st</sup> 2025

**Bidder's Contact Information:**

Bidder's Name: \_\_\_\_\_

Email: \_\_\_\_\_

Company Name: \_\_\_\_\_

Company Address: \_\_\_\_\_

**Price for Ambulance, as per attached specifications:** \_\_\_\_\_

*\*\*Please list any exceptions or substituions on a separate sheet.*

Authorized signature: \_\_\_\_\_



