

STATE OF NORTH CAROLINA

Department Of Health and Human Services

Office of Procurement, Contracts and Grants

Invitation for Bid : 30-26318-EIPD

**2025 – 2026 Chrysler Pacifica Select or Better
with BraunAbility Dropped Floor Conversion Package - Paravan (Rebid)**

Date of Issue: May 4, 2026

Bid Opening Date: May 28, 2026

At 2:00 PM ET


Direct all inquiries concerning this IFB to:

Amanda Kerstetter

Procurement Specialist II

Email: Amanda.Kerstetter@dhhs.nc.gov

Phone: 919-527-7792



STATE OF NORTH CAROLINA

Invitation for Bid # 30-26318-EIPD

For internal State agency processing, including tabulation of bids, provide your company's eVP (Electronic Vendor Portal) Number. Pursuant to G.S. 132-1.10(b) this identification number shall not be released to the public. **This page will be removed and shredded, or otherwise kept confidential**, before the procurement file is made available for public inspection.

**This page shall be filled out and returned with your bid.
Failure to do so may subject your bid to rejection.**

Vendor Name

Vendor eVP#

Note: For a contract to be awarded to you, your company (you) must be a North Carolina registered Vendor in good standing. You must enter the Vendor number assigned through eVP (Electronic Vendor Portal). If you do not have a vendor number, register at <https://evp.nc.gov/SignIn>

STATE OF NORTH CAROLINA Office of Procurement, Contracts and Grants

Refer <u>ALL</u> Inquiries regarding this IFB to the procurement lead through the Message Board in the Sourcing Tool. See section 2.6 for details.	Invitation for Bid No.: 30-26318-EIPD
	Bids will be publicly opened: May 28, 2026, at 2:00 PM ET
Using Agency: Division of Employment and Independence for People with Disabilities	Commodity No. and Description: 781800 – Transportation repair or maintenance services; 251700 – Transportation components and systems
Requisition No.: 579858/RQ251858	

EXECUTION

In compliance with this Invitation for Bid (IFB), and subject to all the conditions herein, the undersigned Vendor offers and agrees to furnish and deliver any or all items upon which prices are bid, at the prices set opposite each item within the time specified herein.

By executing this bid, the undersigned Vendor understands that false certification is a Class I felony and certifies that:

- This bid is submitted competitively and without collusion (G.S. 143-54),
- none of its officers, directors, or owners of an unincorporated business entity has been convicted of any violations of Chapter 78A of the General Statutes, the Securities Act of 1933, or the Securities Exchange Act of 1934 (G.S. 143-59.2), and
- It is not an ineligible Vendor as set forth in G.S. 143-59.1.

Furthermore, by executing this bid, the undersigned certifies to the best of Vendor's knowledge and belief, that:

- It and its principals are not presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from covered transactions by any Federal or State department or agency.

As required by G.S. 143-48.5, the undersigned Vendor certifies that it, and each of its Sub-Contractors for any Contract awarded as a result of this IFB, complies with the requirements of Article 2 of Chapter 64 of the NC General Statutes, including the requirement for each employer with more than 25 employees in North Carolina to verify the work authorization of its employees through the federal E-Verify system.

As required by Executive Order 24 (2017), the undersigned Vendor certifies will comply with all Federal and State requirements concerning fair employment and that it does not and will not discriminate, harass, or retaliate against any employee in connection with performance of any Contract arising from this solicitation.

G.S. 133-32 and Executive Order 24 (2009) prohibit the offer to, or acceptance by, any State Employee associated with the preparation plans, specifications, estimates for public contracts; or awarding or administering public contracts; or inspecting or supervising delivery of the public contract of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of this response to the IFB, the undersigned certifies, for Vendor's entire organization and its employees or agents, that Vendor is not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

By executing this bid, Vendor certifies that it has read and agreed to the **INSTRUCTION TO VENDORS** and the **NORTH CAROLINA GENERAL TERMS AND CONDITIONS** incorporated herein. These documents can be accessed from the Ariba Sourcing Tool.

Failure to execute/sign bid prior to submittal may render bid invalid and it MAY BE REJECTED. Late bids shall not be accepted.

COMPLETE/FORMAL NAME OF VENDOR:		
STREET ADDRESS:	P.O. BOX:	ZIP:
CITY & STATE & ZIP:	TELEPHONE NUMBER:	TOLL FREE TEL. NO:
PRINCIPAL PLACE OF BUSINESS ADDRESS IF DIFFERENT FROM ABOVE (SEE INSTRUCTIONS TO VENDORS ITEM #21):		
PRINT NAME & TITLE OF PERSON SIGNING ON BEHALF OF VENDOR:		
VENDOR'S AUTHORIZED SIGNATURE*:	DATE:	EMAIL:

VALIDITY PERIOD

Offer shall be valid for at least sixty (60) days from date of bid opening, unless otherwise stated here: _____ days, or if extended by mutual agreement of the parties in writing. Any withdrawal of this offer shall be made in writing, effective upon receipt by the agency issuing this IFB.

ACCEPTANCE OF BIDS

If your bid is accepted, all provisions of this IFB, along with the written results of any negotiations, shall constitute the written agreement between the parties ("Contract"). The NORTH CAROLINA GENERAL TERMS AND CONDITIONS are incorporated herein and shall apply. Depending upon the Goods or Services being offered, other terms and conditions may apply, as mutually agreed.

<p>FOR STATE USE ONLY: Offer accepted and Contract awarded this _____ day of _____, 20____, as indicated on</p> <p>The attached certification, by _____.</p> <p style="text-align: center;">(Authorized Representative of Division of Employment and Independence for People with Disabilities)</p>

Contents

1.0	PURPOSE AND BACKGROUND	5
1.1	CONTRACT TERM.....	5
2.0	GENERAL INFORMATION.....	5
2.1	INVITATION FOR BID DOCUMENT	5
2.2	E-PROCUREMENT FEE	5
2.3	NOTICE TO VENDORS REGARDING IFB TERMS AND CONDITIONS	5
2.4	IFB SCHEDULE	6
2.5	PRE-SALE CONDITIONS	6
2.6	BID QUESTIONS	6
2.7	BID SUBMITTAL.....	7
2.8	BID CONTENTS.....	8
2.9	ALTERNATE BIDS.....	8
2.10	DEFINITIONS, ACRONYMS, AND ABBREVIATIONS.....	8
3.0	METHOD OF AWARD AND BID EVALUATION PROCESS	9
3.1	METHOD OF AWARD.....	9
3.2	CONFIDENTIALITY AND PROHIBITED COMMUNICATIONS DURING EVALUATION.....	9
3.3	BID EVALUATION PROCESS	9
3.4	PERFORMANCE OUTSIDE THE UNITED STATES	10
3.5	INTERPRETATION OF TERMS AND PHRASES.....	11
4.0	REQUIREMENTS	11
4.1	PRICING.....	11
4.2	TRANSPORTATION AND IDENTIFICATION.....	11
4.3	DELIVERY AND INSTALLATION	11
4.4	AUTHORIZED RESELLER	12
4.5	WARRANTY.....	12
4.6	MAINTENANCE OPTION.....	12
4.7	SERVICE.....	13
4.8	DEMONSTRATION	13
4.9	FINANCIAL STABILITY	13
4.10	HUB PARTICIPATION	13
4.11	REFERENCES	13
4.12	BACKGROUND CHECKS.....	14
4.13	PERSONNEL	14

4.14 VENDOR’S REPRESENTATIONS 14

4.15 AGENCY INSURANCE REQUIREMENTS MODIFICATION 14

4.16 LOBBYING ACTIVITY CERTIFICATION FOR FEDERAL GRANTS 15

4.17 SUBCONTRACTORS 15

4.18 SECRETARY OF STATE REGISTRATION 15

5.0 SPECIFICATIONS AND SCOPE OF WORK 15

5.1 SPECIFICATIONS 15

5.2 CERTIFICATION AND SAFETY LABELS 37

5.3 DEVIATIONS 37

6.0 CONTRACT ADMINISTRATION 37

6.1 CONTRACT MANAGER AND CUSTOMER SERVICE 37

6.2 CONTINUOUS IMPROVEMENT 38

6.3 ACCEPTANCE OF WORK 38

6.4 PRODUCT RECALL 38

6.5 DISPUTE RESOLUTION 38

6.6 CONTRACT CHANGES 38

6.7 ATTACHMENTS 39

ATTACHMENT A: PRICING 40

1.0 PURPOSE AND BACKGROUND

The intent of this solicitation is to identify a single vendor to provide a 2025 – 2026 Chrysler Pacifica Select or better with BraunAbility 10” dropped floor conversion package installed with additional modifications, per the attached specifications.

The intent of this solicitation is to award an Agency Specific Contract.

1.1 CONTRACT TERM

The Contract shall have an initial term of one (1) year, beginning on the date of final Contract execution (the “Effective Date”).

Bids shall be submitted in accordance with the terms and conditions of this IFB and any addenda issued hereto.

2.0 GENERAL INFORMATION

2.1 INVITATION FOR BID DOCUMENT

This IFB is comprised of the base IFB document, any attachments, and any addenda released before Contract award, which are incorporated herein by reference.

2.2 E-PROCUREMENT FEE

ATTENTION: This is not an NC eProcurement solicitation facilitated by the Ariba Network. The E-Procurement fee may apply to this solicitation. See the paragraph entitled ELECTRONIC PROCUREMENT of the North Carolina General Terms and Conditions.

General information on the E-Procurement Services can be found at: <http://eprocurement.nc.gov/>.

What is the Ariba Network?

The Ariba Network is a web-based platform that serves as a connection point for buyers and Vendors. Vendors can log in to the Ariba Network to view purchase orders, respond to electronic requests for quotes, participate in Sourcing Events, and collaborate with buyers on contract documents.

For training on how to use the Sourcing Tool to view solicitations, submit questions, develop responses, upload documents, and submit offers to the State, Vendors should go to the following site:

<http://eprocurement.nc.gov/training/Vendor-training>.

2.3 NOTICE TO VENDORS REGARDING IFB TERMS AND CONDITIONS

It shall be the Vendor’s responsibility to read the Instructions to Vendors, the North Carolina General Terms and Conditions, all relevant exhibits and attachments, and any other components made a part of this IFB and comply with all requirements and specifications herein. Vendors are also responsible for obtaining and complying with all Addenda and other changes that may be issued in connection with this IFB.

If Vendors have questions or issues regarding any component of this IFB, those must be submitted as questions in accordance with the instructions in the BID QUESTIONS Section. If the State determines that any changes will be made as a result of the questions asked, then such decisions will be communicated in the form of an IFB addendum. The State may also elect to leave open the possibility for later negotiation of specific provisions of the Contract that have been addressed during the question-and-answer period, prior to contract award.

Other than through the process of negotiation under 01 NCAC 05B.0503, the State rejects and will not be required to evaluate or consider any additional or modified terms and conditions submitted with Vendor’s bid or otherwise. This applies to any language appearing in or attached to the document as part of the Vendor’s bid that purports to vary any terms and conditions or Vendors’ instructions herein or to render the bid non-binding or subject to further negotiation. Vendor’s bid shall constitute a firm offer that shall be held open for the period required herein (“Validity Period” above).

The State may exercise its discretion to consider Vendor proposed modifications. By execution and delivery of this IFB Response, the Vendor agrees that any additional or modified terms and conditions, whether submitted purposely or inadvertently, shall have no force or effect, and will be disregarded unless expressly agreed upon during negotiations and incorporated by way of a Best and Final Offer (BAFO). Noncompliance with, or any attempt to alter or delete, this paragraph shall constitute sufficient grounds to reject Vendor’s bid as non-responsive.

2.4 IFB SCHEDULE

The table below shows the *intended* schedule for this IFB. The State will make every effort to adhere to this schedule.

Event	Responsibility	Date and time
Issue IFB	State	May 4, 2026
Deadline for Submission of Written Questions	Vendor	May 13, 2026, at 2:00 PM ET
Provide Responses to Questions	State	May 15, 2026
Deadline for Submission of Bids	Vendor	May 28, 2026, at 2:00 PM ET
Scheduled Bid Opening	State	<p>Microsoft Teams meeting Join: https://teams.microsoft.com/meet/253113498706169?p=uUpjWPmuamdRVgSn8s Meeting ID: 253 113 498 706 169 Passcode: 2zY2Sw7C</p> <hr/> <p>Need help? System reference Dial in by phone +1 984-204-1487,,256936281# United States, Raleigh Find a local number Phone conference ID: 256 936 281# Join on a video conferencing device Tenant key: ncgov@m.webex.com Video ID: 119 751 823 5 More info</p>
Contract Award	State	EST June 2026

2.5 PRE-SALE CONDITIONS

NOTE: Prior to finalizing the sale, the vendor must do a free product demonstration with the proposed vehicle at the client’s residence to ensure a proper wheelchair/client fit.

2.6 BID QUESTIONS

Upon review of the IFB documents, Vendors may have questions to clarify or interpret the IFB in order to submit the best bid possible. To accommodate the Bid Questions process, Vendors shall submit any such questions by the “Submit Written Questions” date and time provided in the IFB SCHEDULE Section above, unless modified by Addendum.

Questions related to the content of the solicitation, or the procurement process should be directed to the person on the title page of this document via the Sourcing Tool's message board by the date and time specified in the IFB SCHEDULE Section of this IFB. Vendors will enter “**IFB # 30-26318-EIPD – Questions**” as the subject of the message. Question submittals should include a reference to the applicable IFB section. This is the only manner in which questions will be received.

Questions or issues related to using the Sourcing Tool itself can be directed to the North Carolina eProcurement Help Desk at 888-211-7440, Option 2. Help Desk representatives are available Monday through Friday from 7:30 AM ET to 5:00 PM ET.

Questions received prior to the submission deadline date, the State's response, and any additional terms deemed necessary by the State will be posted in the Sourcing Tool in the form of an addendum and shall become an Addendum to this IFB. No information, instruction or advice provided orally or informally by any State personnel, whether made in response to a question or otherwise in connection with this IFB, shall be considered authoritative or binding. Vendors shall rely *only* on written material contained in the IFB and an addendum to this IFB.

2.7 BID SUBMITTAL

IMPORTANT NOTE: This is an absolute requirement. Late bids, regardless of cause, will not be opened or considered, and will be automatically disqualified from further consideration. Vendor shall bear the sole risk of late submission due to unintended or unanticipated delay. It is the Vendor's sole responsibility to ensure its bid has been received as described in this IFB by the specified time and date of opening. Failure to submit a bid in strict accordance with instructions provided shall constitute sufficient cause to reject a Vendor's bids(s). Solicitation responses are subject to Sealed Bidding requirements.

Vendor's bids for this procurement must be submitted through the Sourcing Tool. For training on how to use the Sourcing Tool to view solicitations, submit questions, develop responses, upload documents, and submit offers to the State, Vendors should go to the following site: <https://eprocurement.nc.gov/training/vendor-training>

Questions or issues related to using the Sourcing Tool itself can be directed to the North Carolina eProcurement Help Desk at 888-211-7440, Option 2. Help Desk representatives are available Monday through Friday from 7:30 AM EST to 5:00 PM EST.

Tips for Using the Sourcing Tool

1. Vendors should review available training and confirm that they are able to access the Sourcing Event, enter responses, and upload files well in advance of the date and time response are due to allow sufficient time to seek assistance from the North Carolina eProcurement Help Desk.
2. Vendors may submit their responses early to make sure there are no issues and then submit a revised response any time prior to the response due date and time. The State will only review the most recent response.
3. Vendors should respond to all relevant sections of the Sourcing Event. Certain questions or items are required in order to submit a response and are denoted with an asterisk. The Sourcing Tool will not allow a response to be submitted unless all required items are completed. The Sourcing Tool will provide error messages to help identify any required information that is missing when response is submitted.
4. Simply saving your response in the Sourcing Tool is not the same as submitting your response to the State. Vendors should make sure they complete the submission process and receive a message that their response was successfully submitted.
5. **Only Bids submitted through the Content Section of the Ariba Sourcing Event will be considered. Bids submitted through the Message Board will not be accepted or considered for award.**

If confidential and proprietary information is included in the bid, also submit one (1) signed, REDACTED copy of the bid. Such information may include trade secrets defined by N.C. Gen. Stat. § 66-152 and other information exempted from the Public Records Act pursuant to N.C. Gen. Stat. §132- 1.2. Vendor may designate information, Products, Services, or appropriate portions of its response as confidential, consistent with and to the extent permitted under the statutes and rules set forth above. By redacting any page, or portion of a page, the Vendor warrants that it has formed a good faith opinion, having received such necessary or proper review by counsel and other knowledgeable advisors, that the portions determined to be confidential and proprietary and redacted as such, meet the requirements of the Rules and Statutes set forth above. However, under no circumstances shall price information be designated as confidential.

If the Vendor does not provide a redacted version of the bid with its bid submission, the Department may release an unredacted version if a record request is received.

2.8 BID CONTENTS

Vendors shall provide responses to all questions and complete all attachments for this IFB that require the Vendor to provide information and upload them to the Sourcing Event in the Sourcing Tool. Vendor may not be able to submit its response in the Sourcing Tool unless all required items are addressed. Vendors shall provide authorized signatures where requested. Failure to provide all required items, or Vendor's submission of incomplete items, may result in the State rejecting Vendor's bid, in the State's sole discretion.

- a) Title Page: Include the company name, address, phone number and authorized representative along with the Bid Number.
- b) Completed and signed version of all EXECUTION PAGES, along with the body of the IFB.
- c) Signed receipt pages of any addenda released in conjunction with this IFB, if required to be returned.
- d) Vendor's Response [4.3, 4.4, 4.5, 4.7, 4.18, Part III, 6.1]
- e) Completed version of ATTACHMENT A: PRICING
- f) Completed and signed version of ATTACHMENT D: HUB SUPPLEMENTAL VENDOR INFORMATION
- g) Completed and signed version of ATTACHMENT E: CUSTOMER REFERENCE FORM
- h) Completed and signed version of ATTACHMENT F: LOCATION OF WORKERS UTILIZED BY VENDOR
- i) Completed and signed version of ATTACHMENT G: CERTIFICATION OF FINANCIAL CONDITION
- j) Completed and signed version of CERTIFICATION FOR CONTRACTS, GRANTS, LOANS, AND COOPERATIVE AGREEMENTS and OMB STANDARD FORM LLL

2.9 ALTERNATE BIDS

Unless provided otherwise in this IFB, Vendor may submit alternate bids for comparable Goods, various methods or levels of Service(s), or that propose different options. Alternate bid must specifically identify the IFB requirements and advantage(s) addressed by the alternate bid. Each bid must be for a specific set of Goods and Services and must include specific pricing. If a Vendor chooses to respond with various offerings, Vendor shall follow the specific instructions for uploading Alternate Bids in the Sourcing Tool.

2.10 DEFINITIONS, ACRONYMS, AND ABBREVIATIONS

Relevant definitions for this IFB are provided in 01 NCAC 05A .0112 and in the Instructions to Vendors found in the Sourcing Tool, which are incorporated herein by this reference.

The following definitions, acronyms, and abbreviations are also relevant to this IFB:

- a. 49CFR565 – Code of Federal Regulations – Title 49/Subtitle B/Chapter 5/Part 595: Make Inoperative Exemptions
- b. AWS – American Welding Society
- c. Client – An individual who is receiving services from the NCEIPD
- d. FMVSS – Federal Motor Vehicle Safety Standards
- e. FMVSS 110 – Tire Loading Information
- f. FMVSS 209 – Seat Belt Assemblies
- g. FMVSS 214 – Side Impact Protection
- h. FNVSS 302 – Flammability of Interior Materials
- i. GVAR – Gross Weight of Axle Rating
- j. GWVR – Gross Weight of Vehicle Rating
- k. ISO – International Standards Organization
- l. NCAC – North Carolina Administrative Code

- m. NCGS – North Carolina General Statute
- n. NCEIPD – North Carolina Employment and Independence for People with Disabilities
(Division name change - formerly NCDVRS – North Carolina Division of Vocational Rehabilitation Services)
- o. NHTSA – National Highway Traffic Safety Administration
- p. NMEDA – National Mobility Equipment Dealer Association
- q. NMEDA QAP – Quality Assurance Program
- r. SAE – Society of Automotive Engineers

3.0 METHOD OF AWARD AND BID EVALUATION PROCESS

3.1 METHOD OF AWARD

North Carolina G.S. 143-52 provides a general list of criteria the State shall use to award contracts, as supplemented by the additional criteria herein. The Goods or Services being procured shall dictate the application and order of criteria; however, all award decisions shall be in the State’s best interest.

All responsive bids will be reviewed, and an award or awards will be based on the responsive bid(s) offering the lowest price that meets the specifications provided herein, to include any required verifications set out here in such as but not limited to past performance, references, and financial documents.

The intent of this IFB is to award a Contract(s) to a single Vendor, the State reserves the right to make separate awards to different Vendors for one or more-line items, to not award one or more-line items, or to cancel this IFB in its entirety without awarding a Contract, if it is considered to be most advantageous to the State to do so.

The State reserves the right to waive any minor informality or technicality in bids received.

3.2 CONFIDENTIALITY AND PROHIBITED COMMUNICATIONS DURING EVALUATION

While this IFB is under evaluation, the responding Vendor, including any subcontractors and suppliers, is prohibited from engaging in conversations intended to influence the outcome of the evaluation. See Paragraph 29. of the Instructions to Vendors entitled COMMUNICATOINS BY VENDORS

Each Vendor submitting a bid to this IFB, including its employees, agents, subcontractors, suppliers, subsidiaries and affiliates, is prohibited from having any communications with any person inside or outside the using agency; issuing agency; other government agency office or body (including the procurement lead named above, any department secretary, agency head, members of the General Assembly and Governor’s office); or private entity, if the communication refers to the content of Vendor’s bid or qualifications, the content of another Vendor’s proposal, another Vendor’s qualifications or ability to perform a resulting contract, and/or the transmittal of any other communication of information that could be reasonably considered to have the effect of directly or indirectly influencing the evaluation of proposals, the award of a contract, or both.

Any Vendor not in compliance with this provision shall be disqualified from evaluation and award. A Vendor’s proposal may be disqualified if its subcontractor and/or supplier engage in any of the foregoing communications during the time that the procurement is active (*i.e.*, the issuance date of the procurement until the date of contract award or cancellation of the procurement). Only those discussions, communications or transmittals of information authorized or initiated by the issuing agency for this IFB or inquiries directed to the procurement lead named in this IFB regarding requirements of the IFB (prior to proposal submission) or the status of the award (after submission) are excepted from this provision.

3.3 BID EVALUATION PROCESS

Only responsive submissions will be evaluated.

The State will conduct an evaluation of responsive Bids, as follows:

Bids will be received according to the method stated in the Bid Submittal section above.

All bids must be received by the issuing agency not later than the date and time specified in the IFB SCHEDULE Section above, unless modified by Addendum. Vendors are cautioned that this is a request for offers, not an offer or request to contract, and the State reserves the unqualified right to reject any and all offers at any time if such rejection is deemed to be in the best interest of the State.

At the date and time provided in the IFB SCHEDULE Section above, unless modified by Addendum, the bids from each responding Vendor will be opened publicly and all offers (except those that have been previously withdrawn, or voided bids) will be tabulated. The tabulation shall be made public at the time it is created. When negotiations after receipt of bids are authorized pursuant to G.S. 143-49 and 01 NCAC 05B.0503, only the names of offerors and the Goods and Services offered shall be tabulated at the time of opening. Cost and price shall become available for public inspection at the time of the award. Interested parties are cautioned that these costs and their components are subject to further evaluation for completeness and correctness and therefore may not be an exact indicator of a vendor’s pricing position.

At their option, the evaluators may request oral presentations or discussions with any or all Vendors for clarification or to amplify the materials presented in any part of the bid. Vendors are cautioned, however, that the evaluators are not required to request presentations or other clarification—and often do not. Therefore, all bids should be complete and reflect the most favorable terms available from the Vendor. Prices bid cannot be altered or modified as part of a clarification.

Bids will generally be evaluated, based on completeness, content, cost and responsibility of the Vendor to supply the requested Goods and Services. Specific evaluation criteria are listed in Section 3.1 METHOD OF AWARD.

Upon completion of the evaluation process, the State will make Award(s) based on the evaluation and post the award(s) to the *electronic Vendor Portal (eVP)*, <https://evp.nc.gov>, under the IFB number for this solicitation. Award of a Contract to one Vendor does not mean that the other bids lacked merit, but that, all factors considered, the selected bid was deemed most advantageous and represented the best value to the State.

The State reserves the right to negotiate with one or more Vendors, or to reject all original offers and negotiate with one or more sources of supply that may be capable of satisfying the requirement, and in either case to require Vendor to submit a Best and Final Offer (BAFO) based on discussions and negotiations with the State.

3.4 PERFORMANCE OUTSIDE THE UNITED STATES

Vendor shall complete ATTACHMENT F: LOCATION OF WORKERS UTILIZED BY VENDOR. In addition to any other evaluation criteria identified in this IFB, the State may also consider, for purposes of evaluating proposed or actual contract performance outside of the United States, how that performance may affect the following factors to ensure that any award will be in the best interest of the State:

a) Total cost to the State	f) Relations with citizens and employees
b) Ability to understand the State’s business requirements and internal operational culture	g) Protection of the State’s information and intellectual property
c) Level of quality provided by the Vendor	h) Contract enforcement jurisdictional issues
d) Particular risk factors such as the security of the State’s information technology	i) Availability of pertinent skills
e) Process and performance capability across multiple jurisdictions	

3.5 INTERPRETATION OF TERMS AND PHRASES

This IFB serves two functions: (1) to advise potential Vendors of the parameters of the solution being sought by the State; and (2) to provide (together with other specified documents) the terms of the Contract resulting from this procurement. The use of phrases such as “shall,” “must,” and “requirements” are intended to create enforceable contract conditions. In determining whether bids should be evaluated or rejected, the State will take into consideration the degree to which Vendors have proposed or failed to propose solutions that will satisfy the State’s needs as described in the IFB. Except as specifically stated in the IFB, no one requirement shall automatically disqualify a Vendor from consideration. However, failure to comply with any single requirement may result in the State exercising its discretion to reject a bid in its entirety.

4.0 REQUIREMENTS

This Section lists the requirements related to this IFB. By submitting a bid, the Vendor agrees to meet all stated requirements in this Section as well as any other specifications, requirements, and terms and conditions stated in this IFB. If a Vendor is unclear about a requirement or specification or believes a change to a requirement would allow for the State to receive a better bid, the Vendor is urged to submit these items in the form of a question during the question-and-answer period in accordance with the Bid Questions Section above.

4.1 PRICING

Bid price shall constitute the total cost to the State for complete performance in accordance with the requirements and specifications herein, including all applicable charges for handling, transportation, administrative and other similar fees. Complete ATTACHMENT A: PRICING FORM and upload in the Sourcing Tool. The pricing provided in ATTACHMENT A, or resulting from any negotiations, is incorporated herein and shall become part of any resulting Contract.

INVOICES MAY NOT BE PAID UNTIL AN INSPECTION HAS OCCURRED AND THE GOODS OR SERVICES ACCEPTED.

4.1.1 Import Tariff Temporary Surcharge

Pricing shall be exclusive of any pending tariffs or temporary tariff surcharge. Vendor may request a temporary tariff surcharge in ATTACHMENT A: PRICING SUBMITTAL WORKBOOK as a charge separate from the contract price. Any temporary tariff surcharge(s) associated with purchases shall be provided by way of a percentage tariff surcharge. All tariff surcharges proposed are intended to be temporary and based on current tariff implications specific to related commodities with evidence of submitted documentation of affected MSRP products. Vendor understands that the agency may request additional justification. Any temporary tariff surcharge percentage will be negotiated and mutually agreed upon. The state is not obligated to accept any proposed import tariff surcharge. Proposed tariff surcharges may be used as a factor for evaluation and award.

4.2 TRANSPORTATION AND IDENTIFICATION

The Vendor shall deliver Free-On-Board (FOB) Destination to any requested location within the State of North Carolina with all transportation costs and fees included in the total bid price.

When an order is placed using a purchase order, the purchase order number shall be shown on all packages and shipping manifests to ensure proper identification and payment of invoices. If an order is placed without using a purchase order, such as via phone, the Buyer’s name shall be shown on all packages. A complete packing list shall accompany each shipment. Vendors shall not ship any products until they have received an order.

4.3 DELIVERY AND INSTALLATION

The Vendor shall deliver Free-On-Board (FOB) Destination to the following location(s): **Chapel Hill, NC**

For completion by Vendor:
Delivery will be made from _____ (city, state) within _____ consecutive calendar days after receipt of purchase order. Promptness of delivery may be used as a factor in the award criteria.

Delivery shall not be considered to have occurred until installation has been completed. Upon completion of the installation, the Vendor shall remove and properly dispose of all waste and debris from the installation site. The Vendor shall be responsible for leaving the installation area clean and ready to use.

4.4 AUTHORIZED RESELLER

The Vendor shall be authorized by the manufacturer to distribute or resell the products and/or maintenance offered in this IFB. The Vendor shall provide a signed statement from the manufacturer confirming authorization upon request from the agency. Failure to provide this statement shall constitute sufficient grounds for rejection of Vendor’s bid, at the discretion of the State.

Vendor is the: Manufacturer Dealer Reseller Distributor

Authorized: Yes No

Attached Manufacturer’s Authority: Yes No

4.5 WARRANTY

The Vendor warrants that all equipment furnished under this IFB will be newly manufactured, of good material and workmanship. The warranty will apply from the date equipment is put into operation for a minimum period of twelve (12) months or the length of the manufacturer’s warranty, whichever is longer. Such warranty shall cover the cost of all defective parts replacement, labor, freight, and technicians’ travel at no additional cost to the State, or as specified by the Purchasing Agency herein. To the extent not superseded by the terms of this paragraph, manufacturer’s warranty terms shall apply. A vendor’s warranty shall be at least the level of coverage provided for its comparable customers.

The report of a problem does not presuppose that every call must result in an “on-site” visit for service/repair. The Vendor and/or service sub-contractor shall utilize their best efforts to resolve problems in a timely fashion by using acceptable servicing methods to include, but not limited to, verbal problem analysis and remote diagnosis. The warranty requirement does not impose any additional duty on the State to make other than normal and good faith problem resolution efforts or expenditures of time. Vendor shall be responsible for compliance with warranty terms by any third-party service provider. Vendor shall provide contact information for warranty service provider, below.

A. Is the Vendor authorized by manufacturer to repair equipment offered during the warranty period? YES NO

B. Will the Vendor provide warranty service? YES NO

If NO, then a manufacturer-authorized third-party service provider will perform warranty service.

Contact information for warranty service provider:

Company Name: _____

Company Address: _____

Contact Person (name): _____

Telephone Number: _____

Email Address: _____

4.6 MAINTENANCE OPTION

Following expiration of the above warranty, Vendor, or its third-party service provider, shall maintain the system specifications and performance level in accordance with the manufacturer’s published specifications and those of this IFB. Maintenance shall include all parts, remedial maintenance labor, travel and living expenses incurred. Except as specifically provided for elsewhere herein, coverage shall be at least for 8:00 am ET to 5:00 pm ET, Monday through Friday, except State recognized holidays and shall

include a minimum of two (2) preventive and safety maintenance inspections per year. The State shall have the option to accept the maintenance coverage in this paragraph at the price offered in ATTACHMENT A: PRICING of this IFB, if applicable.

4.7 SERVICE

- A. Is the Bidder factory authorized to repair equipment offered during warranty period? Yes No
- B. Is the Bidder’s facility located outside of the 2014 NMEDA QAP Rules 100 mile/2 hr. service area? Yes No

IF YES – the Bidder states: “In accordance with NMEDA QAP Servicing Agreement Form Part A, of which the vendor agrees to service the conversion vehicle.”: Yes No

OR – If none of the accredited facilities contacted agrees to servicing the mobility equipment installed, then the Bidder states: “none” above.

4.8 DEMONSTRATION

Upon request from the State, Vendors shall be capable of demonstrating proposed equipment within ten (10) consecutive calendar days after notification, at no additional cost to the State. If requested, this will be a comprehensive demonstration at a site designated by the State with hands-on participation by agency operator(s), if necessary or appropriate. The failure of a Vendor to perform a satisfactory demonstration (if requested), shall constitute sufficient basis for rejection of the bid. The results of such a demonstration will be considered in the evaluation and award of a contract.

4.9 FINANCIAL STABILITY

As a condition of contract award, the Vendor must certify that it has the financial capacity to perform and to continue to perform its obligations under the Contract; that Vendor has no constructive or actual knowledge of an actual or potential legal proceeding being brought against Vendor that could materially adversely affect performance of this Contract; and that entering into this Contract is not prohibited by any contract, or order by any court of competent jurisdiction.

Each Vendor shall certify it is financially stable by completing ATTACHMENT G: CERTIFICATION OF FINANCIAL CONDITION. The State is requiring this certification to minimize potential issues from contracting with a Vendor that is financially unstable. From the date of the Certification to the expiration of the Contract, the Vendor shall notify the State within thirty (30) days of any occurrence or condition that materially alters the truth of any statement made in this Certification. The Contract Manager may require annual recertification of the Vendor’s financial stability.

4.10 HUB PARTICIPATION

Pursuant to North Carolina General Statute G.S. 143-48, it is State policy to encourage and promote the use of small, minority, physically handicapped, and women contractors in purchasing Goods and Services. As such, this IFB will serve to identify those Vendors that are minority owned or have a strategic plan to support the State’s Historically Underutilized Business program by meeting or exceeding the goal of 10% utilization of diverse firms as 1st or 2nd tier subcontractors. Vendor shall complete ATTACHMENT D: HUB SUPPLEMENTAL VENDOR INFORMATION.

4.11 REFERENCES

Vendor shall upload to the Sourcing Tool at least three (3) references, using ATTACHMENT E: CUSTOMER REFERENCE FORM, for which it has provided services of similar size and scope to those proposed herein. References shall not be from the same company or from the soliciting State entity. In addition, Vendor shall provide references for and identify other government contracts it has received, for which your company has provided services of similar size and scope to those proposed herein. The State may contact these users to determine whether the services provided are substantially similar in scope to those proposed herein and whether Vendor’s performance has been satisfactory. The information obtained may be considered in the evaluation of the Bid.

4.12 BACKGROUND CHECKS

Any personnel or agent of Vendor performing Services under any Contract arising from this IFB may be required to undergo a background check at the expense of the Vendor, if so, requested by the State.

4.13 PERSONNEL

Vendor warrants that qualified personnel shall provide Services under this Contract in a professional manner. "Professional manner" means that the personnel performing the Services will possess the skill and competence consistent with the prevailing business standards in the industry. Vendor will serve as the prime contractor under this Contract and shall be responsible for the performance and payment of all subcontractor(s) that may be approved by the State. Names of any third-party Vendors or subcontractors of Vendor may appear for purposes of convenience in Contract documents; and shall not limit Vendor's obligations hereunder. Vendor will retain executive representation for functional and technical expertise as needed in order to incorporate any work by third party subcontractor(s).

Should the Vendor's bid result in an award, the Vendor shall be required to agree that it will not substitute key personnel assigned to the performance of the Contract without prior written approval by the Contract Lead. Vendor shall further agree that it will notify the Contract Lead of any desired substitution, including the name(s) and references of Vendor's recommended substitute personnel. The State will approve or disapprove the requested substitution in a timely manner. The State may, in its sole discretion, terminate the Services of any person providing Services under this Contract. Upon such termination, the State may request acceptable substitute personnel or terminate the contract Services provided by such personnel.

4.14 VENDOR'S REPRESENTATIONS

If Vendor's bid results in an award, Vendor agrees that it will not enter any agreement with a third party that may abridge any rights of the State under the Contract. If any Services, deliverables, functions, or responsibilities not specifically described in this solicitation are required for Vendor's proper performance, provision and delivery of the Service and deliverables under a resulting Contract, or are an inherent part of or necessary sub-task included within such Service, they will be deemed to be implied by and included within the scope of the Contract to the same extent and in the same manner as if specifically described in the Contract. Unless otherwise expressly provided herein, Vendor will furnish all of its own necessary management, supervision, labor, facilities, furniture, computer and telecommunications equipment, software, supplies and materials necessary for the Vendor to provide and deliver the Services and/or other Deliverables.

4.15 AGENCY INSURANCE REQUIREMENTS MODIFICATION

1. Potential for damage to State property or property of a third party,
2. Potential for bodily injury to State employees or third parties,
3. Whether Vendor will transport State property, clients, or employees,
4. Use of a vehicle to accomplish the work or to travel to or from State locations,
5. Anticipated physical contacts of the Vendor with the State,
6. Anticipated number and activity of Vendor personnel within the State, and
7. Any other unique considerations that could result in harm, bodily injury, or property damage.

A. Default Insurance Coverage from the General Terms and Conditions applicable to this Solicitation:

- Small Purchases
- Contract value in excess of the Small Purchase threshold, but up to \$1,000,000.00
- Contract value in excess of \$1,000,000.00

B. The Procurement Entity has conducted a risk assessment and determined that certain default coverage provisions in the North Carolina General Terms and Conditions paragraph entitled *Insurance*, should be increased from the minimums stated. Increased or additional insurance coverage amounts for this Solicitation are as follows. Coverages not changed here remain as stated in the General Terms and Conditions.

Liability insurance. Each Vendor shall maintain “product/completed operations” liability insurance that covers the vendor’s work or the work/products of his/her suppliers and provides minimum coverage of one million dollars. In addition, each Vendor will maintain “garage-keeper’s” liability insurance and “premises” liability insurance as well. Proof of insurance will be provided to NCEIPD upon request and will be resubmitted on an annual basis.

4.16 LOBBYING ACTIVITY CERTIFICATION FOR FEDERAL GRANTS

Federal law prohibits recipients of federal funds, whether through grants, contracts, or cooperative agreements, from using those funds to influence or attempt to influence (lobby) a federal official in connection with obtaining, extending, or modifying any federal contract, grant, loan, or cooperative agreement. Further, federal law requires that applicants for federal funds certify:

- that they abide by the above restriction.
- that they disclose any permissible (non-federal) paid lobbying on the Federal Awards being applied for; and
- that such certification requirements will also be included in any subawards meeting the applicable thresholds.

Vendors must complete and submit the CERTIFICATION FOR CONTRACTS, GRANTS, LOANS, AND COOPERATIVE AGREEMENTS and the OMB STANDARD FORM LLL when responding to this solicitation.

4.17 SUBCONTRACTORS

No portion of the work shall be subcontracted without prior written consent of the State. In the event that the Vendor desires to subcontract some part of the work specified herein, the Vendor shall furnish with their bid the names, qualifications, and experience of their proposed subcontractors. The Vendor shall, however, remain solely and fully liable and responsible for the work done by its subcontractor(s) and shall assure compliance with all the requirements and specifications of the contract.

4.18 SECRETARY OF STATE REGISTRATION

Prior to entering into a contract with the State, the awarded Vendor(s) must complete registration with the NC Secretary of State. Upon notification of award, the selected Vendor(s) must furnish evidence of filing within 10 business days. Failure to provide this documentation may result in the disqualification of the Vendor(s) bid from further consideration for the award. **No purchase orders shall be issued prior to confirmation of completed registration with the Secretary of State.**

A contract award under the above-referenced solicitation, and the resulting purchase orders, will produce repeated orders and transactions in North Carolina and will constitute “transacting business” in the State, which requires a certificate of authority from the North Carolina Secretary of State as provided in G.S. §55-15-01 (corporations) or §57D-7-01 (LLCs). Please go to: <https://www.sosnc.gov/> to register.

. Vendor has registered with the North Carolina Secretary of State: Yes No

5.0 SPECIFICATIONS AND SCOPE OF WORK

5.1 SPECIFICATIONS

INDEX

PART I	DESCRIPTIONS
	A. Description of Vehicle to be Purchased

B. Description of Wheelchair/Scooter (for reference only)

PART II BID REQUIREMENTS

PART III MODIFICATION SPECIFICATIONS

PART IV SPECIFICATIONS

SECTION DESCRIPTION

- 0. Transportation**
- 1. Fittings**
- 3. Pedal Guards**
- 8. Drivers Training Brake**
- 16. Secondary Control Console**
- 17. Mirrors and Display**
- 31. Rub Plates**
- 33. Wheelchair Tiedown & Occupant Restraint Systems**
- 34. Positioning Belt.**
- 40. High Tech Driving Controls**
- 41. Electrical Requirements**
- 42. Installation General Requirements**
- 44. Training Requirements**

- Driving Modifications Delivery Checklist
- Vehicle Modification Certificate of Compliance
- Training Certificate for installed adaptive equipment
- Vehicle Loading Certificate

NOTE: THIS IS FOR COMBINED PURCHASE OF A DROPPED-FLOOR MINIVAN and DRIVING MODIFICATIONS.

Part I – DESCRIPTIONS

A. VEHICLE DESCRIPTION

1. BASIC CHASSIS DESCRIPTION

Make: Chrysler **Model:** Pacifica Select (or better) **Year:** 2025 - 2026

VIN: TBD

1-1 Odometer Mileage: 5,000 miles or less (Bid anything close for consideration)

1-2 Body style: Minivan

1-3 Preferred Exterior Colors: **White, Black or Blue.**

1-4 through 1-5 omitted

1-7 Other Equipment: (see #3 below) BraunAbility 10" Lowered floor conversion with fold out ramp

2. INTERIOR:

2-1 Cruise control: No, Yes

2-2 Air bag: Driver, Passenger

2-3 Gear shifter on: Column, Floor, Dash—N/A

2-4 Dimmer on: Column, Dash—N/A


- 2-5 **Parking brake on:** Center console, Floor—N/A
Floor parking brake release style: Push to set/push to release, Separate release handle
- 2-6 **Heating/Air conditioning controls:** Front, Rear—N/A
- 2-7 **Interior color matching standard to the exterior pkg**

3. VEHICLE CONVERSIONS:

Minivan conversion:

- 3-1 **Dropped floor package**
Manufacturer: BraunAbility – MUST BE 10" – no substitutes
Style: Side entry
Flooring to be rubberized wheelchair flooring – NO CARPET
- 3-2 **Removable seats:** Driver, Front passenger
- 3-3 **Existing wheelchair tie downs & wheelchair passenger restraints for client in cargo area:** Yes
- 3-4 **Door ramp style:** Foldout

B. WHEELCHAIR/CLIENT DESCRIPTION



Description of Client/Wheelchair (For reference only)

1. WHEELCHAIR DESCRIPTION:

- 1-1 **Make:** Permobil **Model:** F3
Model : F3 **Serial #:** 2524010009
- 1-2 **Power Chair**
 1-2-1 **Drive:** Front wheel
 1-2-2 **WC-19 compliant:** Yes
- 1-3 **Wheelchair armrests:** Cantilevered style (supported at rear only)
- 1-4 **Total reported weight of client:**130 lbs.
- 1-5 **Weight of wheelchair:** 386 lbs.

2. DIMENSIONS - CHAIR ONLY (inches):

- 2-1 **Height**
 2-1-1 **Floor to:** Top of armrest 30" Bottom of battery 3" Lowest part of footrest 11"
- 2-2 **Length**
 2-2-1 Back of rearmost wheel/caster/anti-tipper to front of forwardmost wheel/caster/anti-tipper 38"
 2-2-2 Overall (front of footrest to back of rearmost wheel/caster/anti-tipper) 49"
- 2-3 **Width**
 2-3-1 Overall chair (including any projection) 24"
 2-3-2 Outside rear wheels (at bottom of wheels) 19"
 2-3-3 Outside of forwardmost wheels/casters/anti-tippers 24"
 2-3-4 Outside footrests 16"
 2-3-5 Caster tire thickness 2.5"

2-4 Rear tire (*complete designation*): Diameter 13” Width 3”

3. DIMENSIONS - CLIENT AND CHAIR (inches):

- 3-1** Floor to top of head (*erect*) 49”
- 3-2** Floor to top of head (*ducked/tilted to lowest height that chair can be safely operated*) 49”
- 3-3** Floor to eye level 44”
- 3-4** Floor to top of knee 30”
- 3-5** Tip of toes to back of rear wheel 49”

Part II - BID REQUIREMENTS

A. VENDOR GENERAL RESPONSIBILITIES

1. The Vendor is contracted to provide and properly install the adaptive equipment specified by the **North Carolina Division of Employment and Independence for People with Disabilities (NCEIPD)**. All equipment must be installed in a manner that meets the client’s needs, protects vehicle occupants, and that protects and secures all installed equipment.
 - The Vendor is responsible for ensuring that the installation is in accordance with applicable state and federal laws, manufacturer’s guidelines, industry standards and other requirements contained in the purchase order so that the client can safely operate the equipment.
 - If the specified equipment is installed correctly but doesn’t meet the functional needs of the client, NCEIPD can authorize additional equipment and labor. Such authorization must be obtained prior to the Vendor commencing rework and ordering additional materials. Authorization will be in the form of a revised purchase order or a unit office authorization.
2. To bid and be awarded the contract, the Vendor must be a certified vendor with the NCEIPD Vehicle Modification Program, which includes an on-site inspection of the Vendor’s facility and a review of training and certification records, quality assurance records, and the NHTSA compliance reports.
3. Vendors must notify the Counselor, Engineer, and State Purchasing Representative promptly about any issues that adversely affect their ability to meet the contract requirements, including but not limited to delivery delays, equipment problems, and product clarification. Any deviations to the contracted specifications after the purchase order is issued must be approved by the State Purchasing Office. Neither the Client nor the Engineer are authorized to make changes.
4. Any custom equipment, when authorized, will be detailed in the specifications. General or non-product specific equipment specifications do not imply custom equipment. This requirement is not intended to preclude modifications to products that take place in the normal fitting process.
5. The Vendor must not discuss, recommend, or suggest alternatives to these specifications or the policies, procedures, and actions of the NCEIPD with the client. Vendors can contact the Counselor or Engineer with any questions or suggestions.
6. Vendor may subcontract any work, but Vendor shall retain fitting, warranty and repair responsibility for all subcontracted work and Vendor must have on staff an employee certified by the manufacturer to install, service, and repair the subcontracted equipment.
7. For liability reasons, Vendor must document/photograph the condition of the vehicle exterior, interior, and accessories prior to modifications and return the vehicle to the Client in same condition.
8. If the cost of the project is being shared by the NCEIPD and the Client, the Vendor will be responsible for invoicing the Client separately for their portion of the cost.
9. Receiving the final inspection approval from the Rehabilitation Engineer does not relieve the Vendor from meeting all conditions and requirements specified in the purchase order, and any other document included as part of the contract.
10. The Vendor is not responsible for providing transportation for the Client to attend fittings and delivery. Please direct the Client to contact their Counselor.
11. Warranty work. Unless NCEIPD has specified for the Vendor to install previously used equipment, the installed equipment will be new under full manufacturer’s warranty and is subject to the following conditions:
 - The Vendor is to provide a minimum of one-year parts and labor for warranty repairs and mandatory service/preventive maintenance. The delivery of the completed modified vehicle will be the start date for the one-year requirement. If the manufacturer states a longer warranty period for parts and/or labor, the Vendor will honor the longer period. The Product Warranty, as stated in the Equipment Owner’s Manual, will be in effect for all

installed equipment (excluding the above one-year requirements), provided the Warranty does not conflict with North Carolina law.

- The Vendor is to instruct the client to contact the Vendor directly and will provide contact information and phone number at delivery. The Vendor will first attempt to correct any issues over the phone.
- Unless stated otherwise in Section 0 - TRANSPORTATION, the Product Warranty contained in the Manufacturer’s written Equipment Owner’s Manual provided to the Client at time of delivery will contain the terms covering transportation responsibility for warranty repairs.
- Unless stated otherwise in Section 0 - TRANSPORTATION, the Client is responsible for transporting the vehicle to the Vendor’s facility for mandatory service/preventive maintenance.
- Warranty work and mandatory service/preventive maintenance are required to be done at the Vendor’s facility unless the Vendor agrees to perform it at another location.
- The Vendor will contact the Counselor prior to commencing work if the repair work is not covered by the warranty such as neglect, misuse, unauthorized repair, modifications or alterations, accidental damage, or failure to operate equipment within manufacturer’s guidelines provided to the Client. A written authorization must be received from the Counselor prior to commencing work for any material and/or labor charges if NCEIPD is to be the funding source. Such stipulations as to what is covered under the Product Warranty will be contained in the Manufacturer’s written Equipment Owner’s Manual provided to the Client at time of delivery.

12. Used equipment is subject to the following conditions:

- The Vendor is to warrant the installation for a period of one year. The Vendor is to provide a minimum of one-year parts and labor for repairs that arise due to the improper installation of the equipment. The remaining (if any) Product Warranty as stated in the Equipment Owner’s Manual will be in effect for all installed equipment provided the Warranty does not conflict with North Carolina law. The Vendor is to provide a minimum of one-year parts and labor for mandatory service/preventive maintenance.
 - The Vendor is to instruct the client to contact the Vendor directly and will provide contact information and phone number at delivery. The Vendor will first attempt to correct any issues over the phone.
 - The Product Warranty contained in the Manufacturer’s written Equipment Owner’s Manual provided to the Client at time of delivery will contain the terms covering transportation responsibility for warranty repairs.
 - The Client is responsible for transporting the vehicle to the Vendor’s facility for mandatory service/preventive maintenance.
 - Warranty work and mandatory service/preventive maintenance are required to be done at the Vendor’s facility unless the Vendor agrees to perform it at another location.
 - The Vendor will contact the Counselor prior to commencing work if the repair work is not covered by the warranty such as neglect, misuse, unauthorized repair, modifications or alterations, accidental damage, or failure to operate equipment within manufacturer’s guidelines provided to the Client. A written authorization must be received from the Counselor prior to commencing work for any material and/or labor charges if NCEIPD is to be the funding source. Such stipulations as to what is covered under the Product Warranty will be contained in the Manufacturer’s written Equipment Owner’s Manual provided to the Client at time of delivery.

13. Within one week of receiving the purchase order, the Vendor will make a courtesy call to the client.

14. The Vendor can contact the Driving Evaluator for a copy of the driving evaluation report.

B. VENDOR SHOP REQUIREMENTS

1. The Vendor’s facility, where vehicle modifications are performed, shall be protected from weather and secured from vandalism.
2. The Vendor’s facility shall have handicapped accessible entrances and restrooms.
3. The Vendor’s facility shall have a designated waiting area for customers.
4. The Vendor’s facility shall have employee(s) who’re trained by the equipment manufacturer and certified to install, service, and repair the equipment.
5. Vendors must maintain registration as a modifier with NHTSA. The following certifications are required to be in place to work on specific types of modifications:
 - a) A NMEDA QAP Structural Vehicle Modifier certification is required for work in:
 - Section 36, “Raised Fiberglass Top” and Section 37, “Extended Doors” of the specifications.
 - b) A NMEDA QAP High Tech Driving Systems Installer certification is required for work in:
 - Section 6, “Reduced Effort Braking Modifications”
 - Section 10, “Steering Column Extension and Alternate Steering Wheel”
 - Section 11, “Reduced Effort Steering Modifications”

- c) EMC Certified Dealer holding a current certification. The installer must be an EMC Certified Technician holding a current biennial certification from EMC:
 - Section 40, "EMC High Tech Electronic Controls for Gas, Brake, Steering and Secondary Control Consoles" In lieu of a NMEDA QAP certification, the modifier may have in place an equivalent Quality Assurance Program. The modifier must be able to provide supporting documents to NCEIPD and allow NCEIPD to audit the facility and records upon request.
- 6. The Vendor's facility shall have a method to allow modified vehicles to be raised to a minimum 24" for inspections. Standing inspection height (6'-0") is preferred.
- 7. **Liability insurance:** Each Vendor shall maintain "product/completed operations" liability insurance that covers the Vendor's work or the work/products of their suppliers and provides minimum coverage of one million dollars. In addition, each Vendor will maintain "garage-keeper's" liability insurance and "premises" liability insurance as well. Proof of insurance will be provided to NCEIPD upon request and will be resubmitted on an annual basis.
- 8. The Vendor's facility shall have a four-corner scale to obtain vehicle weights.

C. GENERAL CONDITIONS FOR PROJECT WORK

- 1. All work shall adhere to the recommended practices as detailed in the current NMEDA "Guidelines" unless superseded by federal and/or state laws.
- 2. Modified vehicles must be certified to meet all the NHTSA FMVSS, except for the portion of those standards for which the 49CFR595 Make Inoperative Exemption applies. When the vehicle modification requires an allowed 49CFR595 FMVSS exemption, the vehicle must be labeled per 49CFR595 with vendor's name, physical address, and the statement: ***"This vehicle has been modified in accordance with 49CFR595.6 and may no longer be in compliance with all FMVSS in effect at the time of its original manufacture."*** The modifier must review the status of the vehicle's compliance with the vehicle modifications and demonstrate when applicable that the vehicle remains compliant. The Vendor must be able to provide supporting documents to NCEIPD upon request. The following is required to be recertified by actual testing from a recognized independent testing facility, not self-certification:
 - FMVSS 301 Fuel System Integrity

D. VENDOR RESPONSIBILITIES AT CLIENT FITTINGS

- 1. A Client fitting is part of the equipment installation process. Intermediate fitting(s) allows the Vendor to properly order, place, modify, or install the prescribed adaptive equipment. Also at this fitting, the Client may operate the adaptive equipment and the Vendor may adjust based upon the Client's abilities to safely operate the adaptive equipment. A final fitting occurs at delivery. At the final fitting the Vendor makes final adjustments or positioning of the adaptive equipment, in most cases with a Driving Evaluator present. Generally, these adjustments should be minor in nature.
- 2. The NCEIPD Vehicle Modification Program relies on the professional judgments of qualified Driving Evaluators. When required, Driving Evaluators will attend fittings to verify that the recommended equipment is properly located, modified, and installed. The Driving Evaluator is responsible for verifying that all their recommended adaptive equipment meets the Client's needs.
- 3. The Vendor must coordinate all fittings (see Section 1-3 for mandatory attendees) with the Engineer, Counselor, Client, and Driving Evaluator (if applicable) via telephone prior to the fitting date. Fittings cannot occur without all scheduled attendees present and all equipment installed or ready to be installed at the fitting as applicable. The pickup or delivery of the client's vehicle should be based in part on the projected fitting requirements. The Vendor must include any cost for the fitting(s) under Section 0 -TRANSPORTATION and Section 1 - FITTINGS.
- 4. The Vendor will provide all materials required to reasonably complete the fittings with any accompanying costs included in the "Parts" cost section of the specified item.
- 5. All fittings will occur at the Vendor's facility unless otherwise specified in the specifications, Section 1.

E. VENDOR RESPONSIBILITIES AT DELIVERY

- 1. Delivery includes a final inspection by the Engineer, Client training, and arranging physical delivery of the vehicle to the Client.
- 2. No vehicle is to be delivered without the Client, Engineer, and Driving Evaluator (if attending final fitting) present. The Counselor must be notified prior to the delivery but their attendance is not required unless they choose to be present.
- 3. Final inspection by the Engineer and Client training will normally occur at the Vendor's facility unless otherwise specified in the specifications/purchase order.

4. A certified technician completes all Equipment Checks/Final Testing Procedures called for in the Equipment Manufacturer's Installation Manual prior to delivery. The Vendor is required to complete the sectional equipment Final Inspections and "**Driving Modification Delivery Checklist**" prior to the inspecting Engineer except for items where the inspection is called to be performed at the same time as the Engineer's inspection.
5. The Vendor must explain and demonstrate the proper use and maintenance of all installed adaptive equipment. Client/Operator must demonstrate the ability to safely operate this equipment.
6. The Vendor is to provide the Client/Operator with the following:
 - a) The original operation/owner's/warranty manuals for each installed item that has a manual. The equipment Owner's Manual must detail the Product Warranty.
Vendors shall be required to register all warranties with equipment manufacturers.
 - b) A preventative maintenance schedule detailing required maintenance for all installed equipment.
 - c) A written warranty to include:
 - For new equipment, a minimum of one-year parts and labor for repairs and any mandatory service/preventive maintenance scheduled to occur within the first year.
 - For used equipment, a minimum of a one-year warranty for the installation. Any remaining Product Warranties in effect on the used equipment. A minimum of one-year parts and labor for any mandatory service/preventive maintenance scheduled to occur within the first year.
 - Transportation responsibility for warranty repairs and mandatory service/preventive maintenance.
 - Any manufacturer's warranty that exceeds one year.
 - Vendor's contact information for warranty, repairs, and maintenance.
 - e) A list of the FMVSS with which the vehicle may no longer be in compliance with. Vendor retains a copy for 5 years.
 - f) Any usable equipment removed from the vehicle in the process of making the modification. Any tools, spare parts, unused parts, and accessories provided by the equipment manufacturer.
 - g) "Vehicle Loading Certificate"
 - h) "Ride Safe" brochure or equivalent, if applicable.
(Available at <http://wc-transportation-safety.umtri.umich.edu/ridesafe-brochure>).
7. Vendor shall register all warranties with equipment manufacturers.
8. The following shall be provided to the inspecting Engineer:
 - a) A copy of the above detailed written warranties (see "6.c)" above)
 - b) A list containing each piece of installed equipment with its serial number included, when applicable.
 - c) "Vehicle Modification Certificate of Compliance", signed and notarized.
 - d) "Training Certificate for Wheelchair Tiedowns and Occupant Restraint System", signed by vendor, client, and operator(s) (if any).
 - e) A copy of the "Vehicle Loading Certificate" (if applicable)
 - f) A copy of the MODSPEC with sectional equipment Final Inspections completed and a signed "Delivery Checklist for Van Before Driving Modifications Installed" (see below).

DELIVERY CHECKLIST FOR VAN BEFORE INSTALLATION OF DRIVING MODIFICATIONS
(Dealer to complete prior to Engineer. Engineer to complete at delivery.)

<u>Dealer</u>	<u>Engineer</u>	(initial to show completion)
<u>General</u>		
_____	_____	Make, model, year, and odometer reading are as specified and bid.
_____	_____	Interior and exterior are clean.
_____	_____	No major scratches or dents.
_____	_____	Power door and ramp operate properly from all switch locations (common switch locations include driver dash, passenger dash, B and C-pillars, wireless remote controls)
_____	_____	Kneeling system operates properly. If equipped with a system on/off switch, the system does not work when turned off.
_____	_____	Manual override system for door and ramp is operational.
_____	_____	Electrical override system for ramp is operational.
_____	_____	Removable seat(s) – verify operation by removing and reinstalling.

<u>Wheelchair Tiedown and Occupant Restraint System (as applicable prior to driving modifications)</u>		
_____	_____	Tiedown straps and occupant restraint belts easily connect to floor anchoring track, wheelchair restraints, and/or wheelchair anchor points with no interference.
_____	_____	Secured wheelchair does not move more than ½ inch in any direction.
_____	_____	Straps and belt assemblies are located away from sharp edges or corners.
_____	_____	Method for stowing unused straps and belts in vehicle is provided along with web cutter.
_____	_____	Occupant restraint belts fit client.

<u>Labels</u>		
_____	_____	The vehicle is labeled per 49CFR595 FMVSS exemption, the vehicle must be labeled per 49CFR595 with vendor’s name, physical address, and the statement “This vehicle has been modified in accordance with 49CFR595.6 and may no longer be in compliance with all Federal Motor Vehicle Safety Standards in effect at the time of its original manufacture.”

<u>Client has been presented with the following:</u>		
_____	_____	Operation/owner’s/warranty manuals for all installed equipment including preventative maintenance schedule and Dealer contact information.
_____	_____	Any tools, spare parts, unused parts, and accessories provided by the equipment manufacturer.
_____	_____	“Ride Safe” brochure. (Available at: www.travelsafer.org/RideSafe_Web.pdf).
_____	_____	List of FMVSS exemptions.

<u>Inspecting engineer has been presented with the following:</u>		
_____	_____	“Vehicle Modification Certificate of Compliance”, signed and notarized.
_____	_____	“Training Certificate for Wheelchair Restraints & Wheelchair Passenger Securements”, signed by vendor, client, and operator(s).
_____	_____	A copy of the PURCHASESPEC with a completed and signed “Final Delivery Checklist”.
_____	_____	Original, signed invoice on company letterhead.

_____	_____
Dealer	Date

_____	_____
Engineer	Date

NOTE: Bidders must check the YES or NO box of the Sectional Requirements below, to acknowledge and confirm the vendor's ability to provide each of the stated requirements for this document.

Part III – MODIFICATION SPECIFICATIONS

The Specifications, as herein exhibited and numbered, are specifically in accordance with the previously established NCEIPD Template MODSPEC 03-12-19.

0. TRANSPORTATION

Section	Requirement	Vendor Checks	
		YES	NO
0-1	The Vendor shall pick up the vehicle and drive it to their facility for the installation of the equipment (and return the vehicle once the installation & final inspection is complete). The client lives in CHAPEL HILL, NC .		
0-1-1	Vendor shall perform all work including final inspection of the equipment and instructing the client on use at the vendor's location, <u>not</u> at the client's residence.		
0-2	For a period of one (1) year from the date of final delivery, the Client shall not be required to travel a one-way distance of greater than eighty-five (85) miles from the Client's home to obtain warranty service and mandatory service/preventive maintenance on the new installed adaptive equipment.		
0-2-1	When the Client's home is outside a one-way travel distance of eighty-five (85) miles from the Vendor's facility, the Vendor is responsible for transporting the <u>vehicle</u> from the Client's home, back to the Vendor's facility for warranty repairs and mandatory service/preventive maintenance as required, and then back to the Client's home. If a factory authorized and trained vendor is located within the above stated geographic area and will agree to provide the warranty service and mandatory service/preventive maintenance, the Vendor may subcontract with such a local vendor in the Client's geographic area.		
0-2-2	When the Client's home is within a one-way travel distance of eighty-five (85) miles from the Vendor's or subcontractor's facility, the Client is responsible for the cost of transporting the <u>vehicle</u> between the Client's home and the Vendor's or subcontractor's facility and back to their home.		
0-2-3	In all cases, the Vendor will not be held liable for towing charges, roadside assistance, travel, lodging, or any other expense incurred due to failure of the installed equipment or vehicle. The Vendor is only responsible for transporting the vehicle and is not responsible for transporting the Client, wheelchair, family members or other personnel.		
0-2-4	After this one (1) year period, the Product Warranty contained in the Manufacturer's written Equipment Owner's Manual provided to the Client at time of delivery will contain the terms covering transportation responsibility for warranty repairs.		
0-2-5	This shall be explained in the written warranty provided the Client at delivery.		

1. FITTINGS

Section	Requirement	Vendor Initial
1-1	Fittings (See Part III VENDOR RESPONSIBILITIES AT FITTINGS) Vendor shall coordinate fitting(s) with attendees.	
1-2	INTERMEDIATE fitting(s): <u>1</u> Estimated duration of each fitting (hrs.): <u>3 – 4 hrs.</u> Attendees: Engineer, Evaluator, Client	

Section	Requirement	Vendor Initial
1-2-1	<p><u>Prior</u> to fitting:</p> <ul style="list-style-type: none"> • Obtain NuTec torso strap (size medium) • Obtain Paravan Equipment and install with flexibility to make adjustments to mounting locations. • Obtain WC lockdown and trainer brake and seat belt extensions, etc. • Install dual brake (to be removed following training) 	
1-2-2	<p><u>At</u> fitting, determine or complete:</p> <ul style="list-style-type: none"> • Determine wheelchair securement WC lockdown / QStraint position and confirm functionality and location for driving position. • Determine locations of Paravan and VICKi controls and determined best mounting locations and programming. • Determine pedal guard position (if needed) • <u>Locate mirror and heads up placements.</u> • Secure torso strap on wheelchair 	
1-3	<p>FINAL fitting Estimated duration of FINAL fitting (hrs.): <u>4-5 hrs.</u> Attendees: Engineer, Evaluator, Client</p>	
1-3-1	<p><u>Prior</u> to fitting:</p> <ul style="list-style-type: none"> • Final Installation and Programming of all Paravan primary and VICKi secondary controls. • Final installation of all other items per the mid-fitting. • Complete installation of turn signal extension 	
1-3-2	<p><u>At</u> fitting, determine or complete:</p> <ul style="list-style-type: none"> • Adjust torso strap as needed • Assure all equipment is properly interfacing with client and adjust if needed • Test drive in the vicinity of the vendor to assure proper and safe interface with all controls. Make adjustments as needed 	

SECTION 2 OMITTED

3. PEDAL GUARDS (if applicable after fitting)

Section	Requirement	Vendor Check	
		YES	NO
3-1	<p>Vendor shall provide and install a Veigel accelerator/brake pedal guard. The pedal guard must be capable of being removed without tools for use by an able-bodied driver. Veigel guard required maximum foot space and clearance with 6-way power seat. https://www.mobilityinnovators.com/products/primary-controls/pedal-guards/</p>		
3-1-1	<p>Vendor shall fit the parts per manufacturer’s guidelines to install the guard as close to the pedals as possible with a minimum ½” gap between the two.</p>		
3-1-2	<p>Vendor shall install the following Veigel Warning label <i>“This vehicle has been modified with an Adaptive Driving Device-to be used by trained and licensed operators only!”</i> (Veigel P/N 90051-000) in the interior visible to the driver.</p>		

PEDAL GUARDS (Section #3) Final Inspection

(Vendor to complete prior to Engineer. Engineer to complete at delivery.)

Vendor **Engineer (initial to show completion)**

_____ _____ Verify the guard latching mechanism works properly by removing and attaching the mechanism two or more times.

_____ _____ Press on the guard lightly with the engine idling in park and parking brake set. Verify the guard does not contact the OEM gas pedal.

SECTIONS 4 THROUGH 7 OMITTED

8. DRIVER’S TRAINING BRAKE

Section	Requirement	Vendor Check	
		YES	NO
8-1	Vendor shall provide and install a passenger side, cable type training brake. It is permissible for the brake assembly to have been used previously (except cable), providing all parts are in normal working order.		
8-1-2	Vendor shall install a new cable – must not have been previously used.		
8-1-3	Vendor shall route the cable via the most direct path to the brake pedal. If the design features a pulley, Vendor shall initially route the cable inline for a minimum of 4” with the training brake pulley.		
8-1-4	Vendor shall install a flexible housing to protect the cable.		

DRIVER’S TRAINING BRAKE (Section #8) Final Inspection (Vendor to complete prior to Engineer. Engineer to complete at delivery)


Vendor **Engineer (initial to show completion)**

_____ _____ With engine on, vehicle in park, fully depress the training brake. Training brake does not interfere with any part of vehicle through full range of motion and returns to neutral position without binding. Verify brake light is on/off when training brake goes from braking to a neutral position.

SECTIONS 9 THROUGH 15 OMITTED

16. SECONDARY CONTROL CONSOLE

Note: FMVSS 101 CONTROLS AND DISPLAYS Exemption required for secondary control(s) no longer operated by the hand or foot.

Section	Requirement	Vendor Check	
		YES	NO
16-1	<p>Vendor shall provide and install a VICKi System & SCREEN to be activated by voice for audible switch activation of secondary controls. This control is intended for operation of secondary controls in a STATIONARY and MOVING vehicle. Location TBD on the RIGHT side.</p> <p>Vendor to confirm make & model vehicle compatibility.</p>  <p>https://inmotionmobility.com/piece/vehicle-interactive-control-vic/</p>		
16-1-1	Vendor shall set up system so that operation is initiated by voice activation - actual location to be determined at client fitting.		
16-1-2	Vendor shall set up system so that scanning will emit recorded voice.		
16-1-3	<p>FOR STATIONARY FUNCTIONS: Vendor shall setup system so that emitted sounds correspond to the following functions:</p> <ul style="list-style-type: none"> • IGNITION • SHIFTER with integrity test • Parking Brake • Windows • Door locks • HVAC • Door Operation • Q-Straint lockdown release 		
16-1-4	<p>FOR MOVING FUNCTIONS: Vendor shall set up system so that emitted sounds correspond to the following functions:</p> <ul style="list-style-type: none"> • Left turn signal • Right turn signal • Horn • Headlight – on/dimmer/off • Wipers (All Speeds) • Wiper wash • Cruise set & on • Hazards 		
16-1-5	Vendor shall adjust mounting location, function scan rate, sequence, and volume at fitting to meet client’s needs.		


Audible Switch (Section #16-1) Final Inspection (Vendor to complete prior to Engineer. Engineer to complete at delivery)

Vendor **Engineer (initial to show completion)**

_____ _____ VoiceScan correctly operates all functions.
 _____ _____ All functions are also operable using OEM controls.

17. MIRRORS AND DISPLAY

Note: Actual location of all mirrors to be determined at fitting with client.

Section	Requirement	Vendor Check	
		YES	NO
17-1	Vendor shall provide and install medium Hercules wide angle auxiliary mirror located above driver and passenger side mirrors.  view		
17-2	Vendor shall provide and install a Heads Up digital display odometer to aid with speed regulation Location to be determined at fitting. ACECAR Upgrade T800 Universal Car HUD Head Up Display is recommended. Hard wire to ignition "on". https://www.amazon.com/ACECAR-Upgrade-Universal-Speedometer-Overspeed/dp/B07PY2PRKC Client will need a windshield mount to secure the heads-up display.		

MIRRORS (Section #17 Final Inspection)

(Vendor to complete prior to Engineer. Engineer to complete at delivery.)

Vendor **Engineer (initial to show completion)**

_____ _____ Mirrors are type specified, are positioned correctly, and operate appropriately.

SECTIONS 18 THROUGH 30 ARE OMITTED

31. RUB PLATES

Section	Requirement	Vendor Check	
		YES	NO
31-1	Vendor shall provide and install a Stainless Steel or Aluminum rub plate approximately 12" to 14" high (if possible, match drive wheel height) from the floor, on section of driver wall to include the "B" pillar and driver's door.		
31-1-1	Vendor shall provide and install Stainless Steel or Aluminum rub plates on driver sidewall drop and around area of engine cover and on rear C-pillar hips and below third row seat.		
31-1-2	Vendor shall install rub plate using pop rivets or screws.		
31-1-3	Vendor shall make allowances in the rub plate for panel mounted electrical connectors as required.		

RUB PLATES (Section #31) Final Inspection (Vendor to complete prior to Engineer. Engineer to complete at delivery)

Vendor **Engineer (initial to show completion)**

_____ _____ Rub plate is securely fastened to vehicle wall and is the proper height.

SECTION 32 OMITTED

33. WHEELCHAIR TIEDOWN AND OCCUPANT RESTRAINT SYSTEM – One for Passenger in Cargo area and One for Driving from Wheelchair (Primary system)

Must be installed in accordance with SAE J800 and J2249 as applicable

Section	Requirement	Vendor Check	
		YES	NO
33-1	CARGO AREA OCCUPIED WTORS		
33-1-1	Vendor shall confirm the new vehicle has a <u>cargo area 4-Point Wheelchair Tiedown and Occupant Restraint System</u> .		
33-1-2	If there are no manual tie downs for the wheelchair, Vendor shall provide and install a <u>Q'Straint</u> QRT Deluxe four point wheelchair tiedown system for client chair in cargo area of van. System must accommodate the clients' wheelchair in a forward-facing position and be located to suit client and wheelchair geometry.		
33-1-3	Vendor shall provide and install an integrated combination OR separate lap and shoulder belt occupant restraint system, in cargo area of van, suitable for use by client. A combination lap and shoulder restraint shall be provided whenever the wheelchair design allows such that restraints are not held away from the occupant's body by wheelchair components. The occupant restraint belt shall attach to the wheelchair tiedown retractor.		
33-1-4	Vendor shall provide and install a belt cutter and vehicle mounted pouch to neatly store tiedowns in vehicle when not in use.		
33-1-5	Vendor shall provide and install Sure-Lok FE200750 "Quick Strap" OR Q'Straint Q5-7580 "Webbing Loop" auxiliary straps if required by the wheelchair.		
33-1-6	Vendor shall provide and install oval L pocket or L track as required. WTORS anchor points will be located so that restraint angles and distances specified by SAE J2249 are achieved. Note: The recommended distance from the vehicle wall and the nearest rear wheelchair restraint should not exceed 20 inches. Greater distance from the wall may create problems for proper upper torso belt use.		

CARGO AREA OCCUPIED WTORS Final Inspection (Sections #33-1) (Vendor to complete prior to Engineer. Engineer to complete at delivery)

Vendor **Engineer (initial to show completion)**

- Wheelchair tiedown system:** (Attachment points should be close to level of the seat, using rigid frame members, welded frame junctions if possible. When present utilize WC-19 anchorage points built into the wheelchair identifiable with the "Hook Symbol".)
- _____ _____ Tiedown straps easily connect to floor anchoring track, wheelchair restraints, and/or wheelchair anchor points with no interference. Straps and belt assemblies are located away from sharp edges or corners.
 - _____ _____ Front securements attached outside or wider than the width of the chair, up to 25° angle outward (front view).
 - _____ _____ Front securement vertical angle to the horizontal from J hook to anchor should be between 40-60° (side view).
 - _____ _____ Rear securements are generally attached inside the width of the chair but can be attached just slightly wider than the width of the chair.
 - _____ _____ Rear securement vertical angle to the horizontal from J hook to anchor should be between 30-45° (side view).

_____	_____	Auxiliary straps (if applicable) are attached to wheelchair frame securely and can be stowed to prevent entanglement.
_____	_____	Secured wheelchair does not move more than ½ inch in any direction.
_____	_____	Occupant restraint system:
_____	_____	Occupant restraint belts fit client. The lap belt fits client across the hips at a 45-75° (side view). The shoulder belt crosses center of shoulder with upper anchor point above and behind the top of the occupant’s shoulder so that the belt is not extended across the neck of the occupant. The occupant restraints are not held away from the body by wheelchair components or parts, such as wheelchair armrests or wheels.

Section	Requirement	Vendor Check	
		YES	NO
33-2	DRIVER OCCUPIED WTORS		
33-2-1	Vendor shall provide and install an <u>electric wheelchair restraint system and driver occupant restraint system</u> for a person who drives from their wheelchair using the drive-in method.		
33-2-2	Vendor shall provide and install a <u>Q’Straint QLK-150</u> system including front stabilizer.		
33-2-3	Vendor shall provide and install the driver control panel, operable by client. Location determined at client fitting.		
33-2-4	Vendor shall modify OEM seat base cover as needed to allow the existing seat to fit over the electric wheelchair restraint system. Vendor shall include quick-release steel “dog bone” covers (driver side only) that cover the exposed grooves for the removeable seat base to keep the wheelchair tires /casters from hanging up in those slots or cracking the plastic covers.		
33-2-5	Vendor shall apply a medium to high strength thread lock to latch bolt on chair.		
33-2-6	Lap belt: Vendor shall provide and install a crash tested lap belt with triangular fittings to be permanently installed on wheelchair. Belt must properly fit client at their pelvis. The lap belt fits client across the hips at a 45-75° (side view).		
33-2-7	At fitting, vendor shall mount the lap belt to the outside of the electric restraint wheelchair mounting bracket OR wheelchair structural areas as close to the seat surface as possible where the frame is fastened together with minimum of ¼” SAE Grade 8 (indicated by six radial lines on the bolt head) bolts hardware. Lap belt is installed so as to avoid sharp edges.		
33-2-8	Shoulder belt: <u>Prefer drive-into shoulder belt but may be modified at fitting.</u> Vendor shall provide and install a stiffened female receptacle such as Safe Haven Buckle Mast OR Q’Straint Lap Cable Extension or Sure-Lok Flexible Seatbelt Stalk Conversion Kit stiffened using external methods. Vendor shall locate the female seatbelt receptacle at client fitting so that the restraint angles and fit specified by SAE J2249 can be achieved.		
33-2-9	Vendor shall provide and install a separate non-retractable crash tested shoulder belt. Belt is mounted at one end to existing OEM belt anchor points and secured to the floor mounted female seatbelt receptacle.		

WHEELCHAIR ELECTRIC RESTRAINT for client who drives from their wheelchair (Section #33-2) Final Inspection (Vendor to complete prior to Engineer. Engineer to complete at delivery)

Vendor Engineer (initial to show completion)

_____ _____ Release control easily operable by client.

_____ _____ Alarm works as specified. Bypass switch works to cancel alarm but does not turn off the visual indicator.

Occupant restraint system:

_____ _____ Occupant restraint belts fit client. The lap belt fits client across the hips at a 45-75° (side view). The shoulder belt crosses center of shoulder with upper anchor point above and behind the top of the occupant’s shoulder so that the belt is not extended across the neck of the occupant. The occupant restraints are not held away from the body by wheelchair components or parts, such as wheelchair armrests or wheels.

34. POSITIONING EQUIPMENT


Section	Requirement	Vendor Check	
		YES	NO
34-1	Vendor shall provide and install a positioning belt by NuTec™ Torso Support Positioning Belt™ to aid with trunk stability. The client will require a 4” strap with a type 2 closure. Chest circumference = 37” MEDIUM size. Grommet to Grommet = 28” and chair width is 16”. ORDER STRAP with 6” extension to allow for bulky clothing. Sara@nutecseating.com, phone 916-476-6740 OR orders.nutec@permobil.com, phone 888-448-0093		



SECTIONS 35 THROUGH 39 OMITTED

40. PARAVAN HIGH TECH ELECTRONIC CONTROLS FOR GAS / BRAKE and STEERING

Note: PARAVAN equipment can only be installed by a PARAVAN Certified Dealer holding a current certification. The installer must be a PARAVAN Certified Technician holding a current certification from PARAVAN.

Note: A PARAVAN Certified Technician must complete all Final Testing Procedures called out for in the Installation Manual prior to delivery.

Section	Requirement	Vendor Check			
		YES	NO		
40-0	<p>OVERVIEW</p> <p>Vendor shall confirm Paravan compatibility with new vehicle and shall provide and install the following system: Paravan Space Drive II DUAL System for vehicle control. (example stock photo of motors, etc.)</p> <p>Including:</p> <ul style="list-style-type: none"> • Back up battery components • All additional cable assemblies and check control • Paravan Mounting Hardware 				

Section	Requirement	Vendor Check	
		YES	NO
40-1	<p>ACCELERATION / BRAKING SYSTEM</p> <ul style="list-style-type: none"> • Paravan Space Drive II Lever (gas / brake) • Car Assembly Group • Module Rack (if applicable, tower rack mounted so as to not interfere with any operational controls or driver seat & passenger seat access.) • Door Mounted (Driver’s side) • Vendor shall provide and install a factory lever orthotic positioned for LEFT hand upper extremity operation, with position and tilt fitted for client’s best use. 		
40-2	<p>DRIVING / STEERING SYSTEM</p> <ul style="list-style-type: none"> • Paravan Space Drive II Parabolic steering device (steering) • Car Assembly Group • Module Rack (if applicable, tower rack mounted so as to not interfere with any operational controls or driver seat & passenger seat access.) • Vendor shall provide and install a SMALL BALL orthotic (not Tri-Pin as shown) positioned for RIGHT hand upper extremity operation, with position and tilt fitted for client’s best use. 		
40-3	<p>Vendor shall install the controller(s) on a stand/arm obtained from the control system manufacturer. Final location to be determined at fitting with driving evaluator.</p> <ul style="list-style-type: none"> • Final mounting location and any modifications must meet client’s needs for lower limb clearance as well as consideration made to prevent any interference with seating. • If required, custom built mounting system must not have any edges or protrusions that might impact the driver’s body in an accident. • Mounting system must allow access to driver’s seat and access to OEM driving controls by an able-bodied driver. • Include manufacturer’s option for Quick-Disconnect which facilitates steering by an able-bodied driver. 		

ELECTRONIC STEERING WITH WHEEL INPUT DEVICE (Section #40-7) Final Inspection (Vendor to complete prior to Engineer. Engineer to complete at delivery)

Vendor **Engineer (initial to show completion)**

_____ Joystick control module and mounting stand are free from movement, rattling, and vibration
 _____ Servo motors can operate wheel through full range of motion

41. ELECTRICAL REQUIREMENTS

Section	Requirement	Vendor Check	
		YES	NO
41-1	Vendor shall provide a circuit protection device within 18” of the power supply for each electrically powered mobility equipment installed. The circuit protection device size will be in accordance with the product manufacturer’s specifications. All circuit protection devices located in the engine compartment of the vehicle shall be positioned in a manner to protect against the effects of heat, water, and other environmental elements.		
41-2	Vendor shall label all added circuit protection devices. The label shall clearly identify the specific use of the product. All labels shall be weather resistant and be designed to stay affixed and be legible for the duration of the product's serviceable life.		
41-3	Vendor shall seal all electrically powered mobility equipment engine compartment electrical connections with battery protectant spray - this includes solenoids, circuit breakers and battery terminals.		
41-4	Vendor shall use grommets or feed-through connectors in all panel holes through which wires pass. All wire entries into the passenger compartment shall be sealed using silicone sealant.		
41-5	Vendor shall group together and protect with a wrap/loom all wiring for added equipment.		
41-6	<p>Under vehicle and engine compartment wiring:</p> <ul style="list-style-type: none"> • Vendor shall add wiring supports every 18” (minimum). • Vendor shall route wiring so that it does not pass within 3” of mufflers, exhaust pipes/manifolds, or catalytic modifiers. • Vendor shall shield/insulate wiring from high temperature components (mufflers, exhaust pipes, manifolds, catalytic converters, etc. • Vendors shall not attach wiring to the OEM vehicle fuel, hydraulic or evaporative systems. 		

42. INSTALLATION GENERAL REQUIREMENTS

Section	Requirement	Vendor Check	
		YES	NO
42-1	Vendor shall spot coat all new fasteners and metal exposed to the outside (beneath vehicle).		
42-2	Vendor shall only provide interior materials in compliance with FMVSS 302 “Flammability of Interior Materials”.		
42-3	Vendor shall ensure all welding is done by an American Welding Society (AWS) Certified Welder using wire feed, “MIG” or “TIG” welder.		
42-4	Vendor shall ensure any bolted in, modified or added equipment must use either a minimum SAE Grade 8 (if metric (ISO), grade 10.9), fastener OR the fasteners provided or specified by the new equipment manufacturer.		
42-5	Vendor shall use 3” diameter x 1/8” thick fender washers (with bolt hole no larger than 1/16” over bolt size) whenever equipment is bolted to body or floor sheet metal of less than 11ga thickness.		

SECTION 43 OMITTED

44. TRAINING REQUIREMENTS

Note: All training can be accomplished with the assistance of the driver rehabilitation specialist.

Section	Requirement	Vendor Check	
		YES	NO
44-1	Vendor shall train the client/operator and demonstrate how to safely use all installed equipment. The client will demonstrate competency on all installed equipment.		
44-2	Vendor shall train the client/operator and demonstrate how to safely secure the wheelchair or mobility device. The client/operator will demonstrate competency.		
44-3	When the vehicle is equipped with a designated occupied wheelchair position, the Vendor shall provide the client/operator with a "Ride Safe" brochure (available at www.travelsafer.org/RideSafe_Web.pdf). The Vendor shall also demonstrate to the client/operator how to safely use the passenger restraint system. The client/operator will demonstrate competency. N/A		
44-4	Vendor shall review with the client how to properly maintain all installed equipment.		

Driving Modifications Delivery Checklist

(Vendor to complete prior to Engineer. Engineer to complete at delivery.)

Vendor (initial to show completion)

General

_____ All installation related dirt and stains removed. Vehicle has been thoroughly vacuumed or washed as applicable.

Labels

_____ When the vehicle modification requires an allowed 49CFR595 FMVSS exemption, the vehicle must be labeled per 49CFR595 with vendor's name, physical address, and the statement "This vehicle has been modified in accordance with 49CFR595.6 and may no longer be in compliance with all Federal Motor Vehicle Safety Standards in effect at the time of its original manufacture."

Client has been presented with the following:

- _____ Operation/owner's/warranty manuals for all installed equipment including preventative maintenance schedule detailing required maintenance for all installed equipment.
- _____ List of FMVSS exemptions taken during the vehicle modification.
- _____ The "Vehicle Loading Certificate".

Inspecting engineer has been presented with the following:

- _____ List of all installed equipment with serial numbers.
- _____ "Vehicle Modification Certificate of Compliance", signed and notarized.
- _____ A copy of this set of SPECS with sectional equipment Requirements initiated by the Vendor, sectional equipment Final Inspections initialed, and a completed and signed "Final Delivery Checklist".
- _____ Vehicle Loading Certificate
- _____ Training Certificate for Installed Adaptive Equipment

Vendor

Date

Engineer

Date

VEHICLE MODIFICATION CERTIFICATE OF COMPLIANCE

(FOR USE BY THE DEALER AT DELIVERY)

Client:

VIN:

Hand Controls

- All mounting hardware is tightened to manufacturer’s recommended torque specifications and Loctite applied when specified.

Wheelchair Tiedowns and Occupant Restraint Systems

- All passenger securements used are manufactured in accordance with all relevant standards, including FMVSS 209 and 210 and SAE J800 and J2249.
- No alterations were made to, or substitutions to, any parts or components of the wheelchair tiedown and occupant restraint systems.
- Floor tracks and anchor points are installed into sound vehicle structures following manufacturer’s instructions.
- Manufacturer provided hardware were used or substitute minimum SAE Grade 8 fasteners with corrosion.

Miscellaneous

- A technician who possesses a current manufacturer certification installed all specified equipment.
- Any bolted in, modified equipment uses either SAE Grade 8 (if metric (ISO), grade 10.9) fasteners (minimum) or fasteners provided or specified by new equipment manufacturer.
- Vehicle has been test driven at least 5 miles with speeds up to 55 mph.
- All electrical equipment is properly grounded, and wiring is routed and secured per NMEDA Guidelines
- All interior materials are in compliance with FMVSS 302

FMVSS Compliance

- Except for those Federal Motor Vehicle Safety Standards or portions thereof exempted by 49CFR595, the adaptive equipment we installed did not take the vehicle out of compliance with any Federal Motor Vehicle Safety Standards. The path to compliance for any affected Federal Motor Vehicle Safety Standard caused by the vehicle modification for which there is no exemption is documented and can be provided upon request. I (We) am registered with NHTSA as a vehicle modifier. The vehicle has been labeled, proper documentation prepared, retained, and copies provided to the client at the time of delivery as required by 49CFR595 if applicable.

I (We) certify that all work on the above referenced project has been completed as highlighted above, and in accordance with these vehicle modification specifications and approved change orders.

Date _____ Signature _____

Title _____ Company _____

(Owner, President, or General Manager)

State of _____ County of _____

Subscribed and swore to before me this ____ day of _____, ____.

Notary Public _____ My Appointment expires _____

TRAINING CERTIFICATE FOR INSTALLED ADAPTIVE EQUIPMENT

(FOR USE BY THE DEALER AT DELIVERY)

I HAVE EXPLAINED THE SAFE AND PROPER USE OF ALL ADAPTIVE EQUIPMENT INSTALLED BY MY SHOP, INCLUDING THE TRAILER OPERATION, WHEELCHAIR TIEDOWNS AND OCCUPANT RESTRAINT SYSTEM, TO THE PERSON(S) LISTED BELOW:

Vendor Signature: _____ Date: _____

- I HAVE HAD THE SAFE AND PROPER USE OF ALL INSTALLED ADAPTIVE EQUIPMENT, INCLUDING THE WHEELCHAIR TIEDOWN AND OCCUPANT RESTRAINT SYSTEM, CLEARLY EXPLAINED TO ME.
- I UNDERSTAND WHAT IS REQUIRED OF ME TO PROPERLY USE THE EQUIPMENT INCLUDING THE WHEELCHAIR TIEDOWN AND OCCUPANT RESTRAINT SYSTEM.
- I HAVE RECEIVED A "RIDE-SAFE" BROCHURE OR EQUIVALENT.

Client Signature: _____ Date: _____

Operator Signature: _____ Date: _____

Operator Signature: _____ Date: _____

VEHICLE LOADING CERTIFICATE
(FOR USE BY THE DEALER AT DELIVERY)

FOR ALL INSTALLATIONS FOR WHICH THE VEHICLE’S CARGO CARRYING CAPACITY IS REDUCED BY AN AMOUNT GREATER THAN OR EQUAL TO 50 LBS.

Please refer to your vehicle Owner’s Manual or vehicle Manufacturer for detailed guidance on safe vehicle loading.

It is very dangerous to drive any vehicle whose load carrying capacity has been exceeded. Too much weight in a vehicle can cause substandard handling or performance, engine, transmission and/or structural damage, serious damage to the vehicle, loss of control, and personal injury or death.

Loaded vehicles handle differently than unloaded vehicles. Extra precautions, such as slower speeds and increased stopping distances, should be taken when driving a loaded vehicle.

- The installed equipment reduced the vehicle’s cargo carrying capacity by _____ lbs.
(Vendor)
- The weight of your wheelchair was **NOT** included in determining the vehicle’s new reduced cargo carrying capacity.
- The vehicle has either been labeled with a new revised FMVSS 110 “Tire and Loading Information” placard stating the vehicle’s new cargo carrying capacity **OR** the original FMVSS 110 “Tire and Loading Information” placard is still in place but a label stating “Caution–Cargo Carrying Capacity Reduced. Modifications to this vehicle have reduced the original cargo carrying capacity by _____pounds” has been added to the vehicle. **Note:** The Vendor will explain which method was used.

Note: Be sure that additional load (passengers, wheelchair, cargo, luggage, tongue load, etc.) does not exceed the vehicle’s reduced cargo carrying capacity or cause the vehicle’s weight limits (GVWR or GAWR) to be exceeded. GVWR and GAWR can be found on the vehicle’s *Safety Compliance Certification Label*. **Please refer to your vehicle Owner’s Manual or Manufacturer for detailed guidance on safe vehicle loading.**

I HAVE EXPLAINED THE VEHICLE LOADING, WHERE TO FIND ADDITIONAL INFORMATION, AND PROVIDED A COPY OF THIS CERTIFICATION TO THE PERSON(S) LISTED BELOW:

Vendor Signature: _____ Date: _____

Client Signature: _____ Date: _____

Operator Signature: _____ Date: _____

Operator Signature: _____ Date: _____

5.2 CERTIFICATION AND SAFETY LABELS

Any manufactured items and/or fabricated assemblies provided hereunder that are subject to operation under pressure, operation by connection to an electric source, or operation involving a connection to a manufactured, natural, or LP gas source shall be constructed and approved in a manner acceptable to the appropriate inspector which customarily requires the label or re-examination listing or identification marking of the appropriate safety standard organization *acceptable to govern inspection where the item is to be located*, such as the American Society of Mechanical Engineers for pressure vessels; the Underwriters Laboratories and /or National Electrical Manufacturers’ Association for electrically operated assemblies; or the American Gas Association for gas operated assemblies, where such approvals of listings have been established for the type of device offered and furnished. Further, all items furnished shall meet all requirements of the Occupational Safety and Health Act (OSHA), and state and federal requirements relating to clean air and water pollution.

5.3 DEVIATIONS

The nature of all deviations from the Specifications listed herein shall be clearly described by the Vendor. Otherwise, it will be considered that items offered by the Vendor are in strict compliance with the Specifications provided herein, and the successful Vendor shall be required to supply conforming goods and/or services. Deviations shall be explained in detail on an attached sheet. However, no implication is made or intended by the State that any deviation will be acceptable. Do not list objections to the North Carolina General Terms and Conditions in this section.

6.0 CONTRACT ADMINISTRATION

All Contract Administration requirements are conditioned on an award resulting from this solicitation. This information is provided for the Vendor’s planning purposes.

6.1 CONTRACT MANAGER AND CUSTOMER SERVICE

The Vendor shall be required to designate and make available to the State a contract manager. The contract manager shall be the State’s point of contact for Contract related issues and issues concerning performance, progress review, scheduling, and service.

Contract Manager Point of Contact	
Name:	
Office Phone #:	
Mobile Phone #:	
Email:	

Vendor shall invoice the Procurement Entity. The standard format for invoicing shall be Single Invoices meaning that the Vendor shall provide the Procurement Entity with an invoice for each order. Invoices shall include detailed information to allow Procurement Entity to verify pricing at point of receipt matches the correct price from the original date of order. The following fields shall be included on all invoices, as relevant:

Vendor’s Billing Address, Customer Account Number, NC Contract Number, Order Date, Buyer’s Order Number, Manufacturer Part Numbers, Vendor Part Numbers, Item Descriptions, Price, Quantity, and Unit of Measure.

6.2 CONTINUOUS IMPROVEMENT

The State encourages the Vendor to identify opportunities to reduce the total cost the State. A continuous improvement effort consists of various ways to enhance business efficiencies as performance progresses.

6.3 ACCEPTANCE OF WORK

Performance of the work and/or delivery of Goods shall be conducted and completed at least in accordance with the Contract requirements and recognized and customarily accepted industry practices. Performance shall be considered complete when the Services or Goods are approved as acceptable by the EIPD Engineer.

Acceptance of Vendor's work product shall be based on the following criteria:

- a) Safety
- b) Compatibility with client
- c) Completion of total project base on the bid specifications

The State shall have the obligation to notify Vendor, in writing ten (10) calendar days following completion of such work or delivery of a deliverable described in the Contract that it is not acceptable. The notice shall specify in reasonable detail the reason(s) it is unacceptable. Acceptance by the State shall not be unreasonably withheld; but may be conditioned or delayed as required for reasonable review, evaluation, installation, or testing, as applicable to the work or deliverable. Final acceptance is expressly conditioned upon completion of all applicable assessment procedures. Should the work or deliverables fail to meet any specifications, acceptance criteria or otherwise fail to conform to the Contract, the State may exercise any and all rights hereunder, including, for Goods deliverables, such rights provided by the Uniform Commercial Code, as adopted in North Carolina.

6.4 PRODUCT RECALL

Vendor expressly assumes full responsibility for prompt notification to the Buyer listed on the face of this IFB of any product recall in accordance with the applicable state or federal regulations. The Vendor shall support the State, as necessary, to promptly replace any such products, at no cost to the State.

6.5 DISPUTE RESOLUTION

During the performance of the Contract, the parties agree that it is in their mutual interest to resolve disputes informally. Any claims by the Vendor shall be submitted in writing to the State's Contract Manager for resolution. Any claims by the State shall be submitted in writing to the Vendor's Project Manager for resolution. The Parties shall agree to negotiate in good faith and use all reasonable efforts to resolve such dispute(s).

During the time the Parties are attempting to resolve any dispute, each shall proceed diligently to perform their respective duties and responsibilities under this Contract. The Parties will agree on a reasonable amount of time to resolve a dispute. If a dispute cannot be resolved between the Parties within the agreed upon period, either Party may elect to exercise any other remedies available under the Contract, or at law. This provision, when agreed in the Contract, shall not constitute an agreement by either party to mediate or arbitrate any dispute.

6.6 CONTRACT CHANGES

Contract changes, if any, over the life of the Contract shall be implemented by contract amendments agreed to in writing by the State and Vendor. Amendments to the contract can only be done through the Contract Administrator.

6.7 ATTACHMENTS

All attachments to this IFB are incorporated herein and shall be submitted by responding in the Sourcing Tool. These attachments can be found at the following Vendor Forms link for reference purposes only:

<https://ncadmin.nc.gov/documents/vendor-forms>

****IMPORTANT NOTICE****

RETURN THE REQUIRED ATTACHMENTS WITH YOUR RESPONSE

ATTACHMENT A: PRICING

Vendor must Complete and Return the Pricing in accordance with this IFB, as shown in the table below:

NOTE: All "BLANKS" must be filled in and sum of itemized prices must equal bid total or bid may be rejected. If any item is not applicable, write NA in blank, do not leave empty.

ITEM	DESCRIPTION	PARTS COST	LABOR COST
1	PART I – A.1.0 VEHICLE – CHASSIS DESCRIPTION (Like or Functionally Equivalent per Section 4.2 Product Identification above.)	YEAR: _____ MAKE: _____ MODEL: _____ TRIM: _____ COLOR: _____ VIN: _____ MILEAGE: _____ Note: The client will be responsible for the cost of this portion of the package upon delivery of the vehicle. (NOT INCLUDED IN NCEIPD TOTAL COST)	
2	ACCOMPANIED COSTS	Taxes, Tags, and Fees \$ _____ Note: The client will be responsible for the cost of this portion of the package upon delivery of the vehicle. (NOT INCLUDED IN NCEIPD TOTAL COST)	
Note: Costs from Lines 1 & 2 above will be used to inform the client of their total costs.			
3	PART I – A.2.0 DROPPED-FLOOR SIDE ENTRY CONVERSION installed in a minivan	Manufacturer: BRAUNABILITY 10" DROP - Sliding Side Door - Ramp with Manual Emergency Back-Up - Removable Seats - Rubberized Flooring – No Carpet - Kneeling System - Door/Ramp Controls Price includes the following WARRANTY TERMS on the conversion: Manufacturer's Warranty _____ years	
4	PART III 0-1 TRANSPORTATION - for Transport – Chapel Hill, NC		
5	PART III 0-2 TRANSPORTATION - for Warranty – Chapel Hill, NC		
6	PART III 1. FITTINGS		
7	PART III 3. PEDAL GUARD		
8	PART III 8. DRIVERS TRAINING BRAKE		

9	PART III 16. SECONDARY CONTROL CONSOLE (Voice)		
10	PART III 17. MIRRORS AND DISPLAY		
11	PART III 31. RUB PLATES		
12	PART III 33-3. WHEELCHAIR TIEDOWN AND OCCUPANT RESTRAINT SYSTEMS		
13	PART III 34. POSITIONING EQUIPMENT		
14	PART III 40. HIGH TECH ELECTRONIC CONTROLS FOR GAS & BRAKE & STEERING		
15	PART III 41. ELECTRICAL REQUIREMENTS		
16	PART III 42. INSTALLATION GENERAL REQUIREMENTS		
17	PART III 44. TRAINING REQUIREMENTS		
CLIENT'S TOTAL COST - from Lines 1 + 2			
NCEIPD'S TOTAL PARTS COST from Lines 3 + 6 through 17			
NCEIPD'S TOTAL LABOR COST from Lines 3 through 17			
NCEIPD'S TOTAL (PARTS AND LABOR) COST			